

**ASKO**

Swedish quality since 1950



Kitchen





## Introduction

Swedish quality since 1950	4-5
Our design philosophy	6-7

## Kitchen

Built in ovens	10-23
Cooktops	24-35
Rangehoods	36-41
Dishwashers	42-56
Technical specifications	57-61
Installation drawings	62-64

# Our heritage is our future



## Swedish quality since 1950

The ASKO story is a unique one. It started back in 1950 in Vara, Sweden with an innovative young man's dream to build a washing machine for his mother to make her life easier. A unique, energy and water efficient machine that would reflect a farmer's love for nature. One with superior cleaning performance and reliability that could heat water, spin and even had both durable and stainless steel drums.

Today, more than 60 years later, ASKO is a global brand which design and develop premium Kitchen, Laundry and professional appliances. Our machines meet the highest demands on design, function, durability and environmental awareness. We manufacture our products with extremely high quality demands and we build our domestic products like we build our professional products.



Nature is an important part of Swedish life, and caring for the environment has always been an integral part of the ASKO culture. Our commitment to the environment guides not only how our products perform, but also what manufacturing procedures are utilised to produce them in the first place. At ASKO, we continuously look for the most environmentally friendly solutions and economical use of resources in the

manufacture of our products. One small, but important example of this environmentally friendly approach is that all components in our dishwashers that weigh more than 50 grams are labelled for recycling. This is just one illustration of our holistic commitment to the environment - for us it's not just about how much we use, but how little we waste in our production process, while our products are in use, and even when they are at the end of their life cycle.



## Our design philosophy

In Sweden, where the winters are long, dark and cold it's essential to bring some light into our lives and our homes. This is probably one of the reasons why interior design takes such a big part in our Swedish design history. Functional and practical, interactive, bright and easy to use. That's Swedish design.

At ASKO we have taken the best parts of our design history – discreet elegance, first class craftsmanship and natural materials – and integrated into our own design. Your life with ASKO shall be simple thanks to user-friendly solutions, integrated functions which are actually making your life easier and of course a quality that guarantee you long time use without any problems.



# Kitchen



## The complete kitchen range

At ASKO we offer you a full range of kitchen products that will provide you with all the necessary functions, whether you want to prepare a luxury dinner in our pyrolytic (self-cleaning) oven, cook healthy food with our steam oven, simmer your sauce on our induction cooktop, or

utilise the benefits of our combination convection/microwave oven. We also offer you dishwashers which are not only water- and energy efficient, but which are also design coordinated, ergonomic and of a quality that guarantees to safely clean even your finest cookware.





# Built in ovens



## Centerpiece of every kitchen

It's where birthday cakes from childhood memories come from. Where Sunday roasts with the family are cooked. Where soufflés are nervously baked. Today, the oven remains the centerpiece of every kitchen. That's why we've developed a range of ovens to suit your kitchen and your life. We've combined Swedish design, European manufacturing and some clever thinking to bring joy to your cooking and eating.



# ASKO iChef oven



## ASKO iChef - slide, select and cook

Introducing ASKO's new iChef oven - the first programmable oven, featuring a high resolution full colour display, provides a smarter way to make your cooking experience even easier.



## SIMPLEbake

When you have selected the SIMPLEbake option, nine photos appear on the interactive colour display. These represent 9 categories of dishes that are most commonly cooked in the oven. Select the category of the dish you wish to prepare. All you need to do is then select the weight of the meal you are cooking and how you would like it cooked.

## AUTObake

AUTObake is the simplest cooking method of all. Simply select from one of the coloured food groups on the screen and then select the weight and how you would like it cooked, and the oven does the rest. Our oven programming was devised by chefs and nutritional experts to give you the very best result.



## PRObake

Allows you to set which heating elements you require and what temperature you want. Depending on program selected the temperature range can be from 30-275°C.



## STEPbake

STEPbake allows you to set up to 3 cooking combinations into one program. This means you no longer have to go up to the oven manually and change settings half way through your cooking.

## MYbake

MYbake save your favourite cooking combinations. So any previous cooking combinations you have used on the oven can be stored for future use. This means no more re-programming of the oven, just select your MYbake program and press start.

## EXTRA

EXTRA has all those little things we feel are important to the functionality of an oven. Like fast pre-heating, plate warming or simple re-heating of last nights dinner. Although our oven has so many methods of cooking, we even included a meat probe program for the accurate cooking of difficult cuts of meat.

# Ovens



## Professional assistance

Clean modern design combined with premium functions and features forms the basis of our range of ovens. These are appliances that will assist you in every way in completing the daily task of preparing lunch or dinner.

They are easy to use with a unique set of programs that will perform all the necessary functions to cook gourmet-style meals or simple, hearty fare.



### 8 Wave Heat

The ASKO ovens feature an interior cavity based on generations of wood fire ovens. The shape of our oven allows for a more even circulation of the hot air, resulting in perfect cooking every time.

### Rapid heating - 180°C in 4 min

No need to wait ages for the oven to reach the desired temperature. With rapid heating the oven reaches 180°C in just 4 minutes. A sound and a light signal indicates that the desired temperature has been reached.

### Safety

ASKO ovens feature a safety system that immediately switches off the fan and the heater if the door is opened while in operation. When the door is shut again, all settings are restored and cooking begins again. ASKO ovens include Cool Touch door and child lock.

### 46 cm full width tray

The ASKO ovens allow you to cook more at a time. This is not only due to our heating circulation system, but also due to our full width 46 cm baking trays. Combined with 4 cooking levels, the oven is not only spacious but has a well planned layout as well.



### Pyrolytic cleaning

This function works by heating the oven to a very high temperature (500°C) in order to eliminate grease that has been splattered or spilled. After the cleaning process the remaining fine ashes can be easily wiped away. Due to the unique design ASKO's baking trays can be left in the oven during the pyrolytic cleaning process.



### Meat probe

Just insert the meat probe, set the required temperature and the oven automatically switches off when the dish is cooked. You can also follow the temperature on the oven display so there is no need to constantly be opening the door during cooking.

# Steam oven



## Healthy cooking

With our steam oven you'll find a natural, healthy and tasteful way of cooking. The steam oven preserves all of the natural vitamins, mineral salts and flavour within the food. Steam cooking doesn't require any fat and perfectly preserves the texture and colour of the food.





## Steam cooking

Natural, healthy and tasty. Food that's been cooked in a steam oven preserves all of the natural vitamins, mineral salts and flavours within the food, without losing colour or texture. No fat is required in the cooking and meat, fish and vegetables can be cooked simultaneously.

## Temperature

With the temperature options the ASKO steam oven can do anything from defrost to steaming the most delicate foods. You can choose between 6 temperature settings, ranging between 55°C-100°C, with 8 possible cooking options.



## Steam oven accessories

ASKO's steam ovens come with a steamer rack, a wire grid and additional water container. The deep steamer rack features a perforated bottom, additional baking tray and wire grid which are made of high-quality stainless steel. All accessories are dishwasher safe.

# Combined microwave oven



## Flexible cooking

With our combined microwave oven you'll have all the flexibility of combination cooking. It is a convection oven (including a fan) with the added benefit of microwave speed. You have four different types of cooking: microwave, traditional fan cooking or grilling and combination cooking.



## Combined microwave oven

Built in combined microwave ovens provide all the benefits of microwaves, convection heating and grill. Automatic programs which combine the speed of microwave with traditional oven cooking, allow you to cook 2 kg of beef in under 40 minutes.



## Convection

In our combined ovens you can bake cookies on up to three levels simultaneously. The fan at the back of the oven ensures that the heat is distributed evenly and quickly.



## Complete flexibility

The ASKO combined oven is a perfect complement to your full size oven. This all-in-one combination microwave offers complete flexibility in the way to cook. You can bake, use microwave or grill, all with the same oven.

# Built in ovens

## Ovens 60 cm



### ASKO OP8631SS

Electronic oven, 60 cm.  
Stainless steel.

#### Functions

- SIMPLEbake
- AUTObake
- PRObake
- MYbake
- STEPbake
- Upper & lower heat
- Lower heat
- Upper heat
- Half grill
- Full grill
- Fan grill
- Fan forced & lower heat
- Fan forced
- Fan & lower heat
- Defrost
- Keep warm
- Pyrolytic 90/120/150 mins
- Rapid pre heat

#### Features

- 2 halogen internal light
- 3 fully extendable telescopic rails
- Clock / timer
- Start & and cooking time setting
- TFT display
- Temperature range 30°C - 275°C
- 3 trays
- Meat probe
- Pyro-proof baking trays and side racks



### ASKO OP8621SS

Electronic oven, 60 cm.  
Stainless steel.

#### Functions

- Auto cooking
- Top & bottom heat
- Fan forced
- Fan forced lower heat
- Fan grilling
- Half grill
- Full grill
- Fan & lower heat
- Lower heat
- Upper heat
- Fan only
- Defrost
- Keep warm
- Pyrolytic 90/120/150 mins
- Memorise 3 favourite programs

#### Features

- 2 halogen internal light
- 2 telescopic 3/4 rails
- Clock / timer
- Delayed start
- LC display
- Temperature range 30°C - 275°C
- 2 trays
- Meat probe
- Pyro-proof baking trays and side racks



### ASKO OP8611SS

Electronic oven, 60 cm.  
Stainless steel.

#### Functions

- Half grill
- Full grill
- Fan grill
- Fan & lower heat
- Fan forced
- Fan forced & lower heating
- Fan forced upper heat
- Defrost
- Keep warm
- Pyrolytic 90/120/150 mins

#### Features

- 2 halogen internal light
- Clock / timer
- Delayed start
- LC display
- Temperature range 30°C - 275°C
- 2 trays
- Meat probe
- Pyro-proof baking trays and side racks

## Ovens 45 cm



### ASKO OT8601SS

Electronic oven, 60 cm.  
Stainless steel.

#### Functions

- Top & Bottom Heat
- Half Grill
- Full Grill
- Fan Forced & Lower Element
- Fan forced
- Defrost
- Fan & Lower Element
- Aqua Clean

#### Features

- 2 halogen internal light
- Clock / timer
- Delayed start
- LC display
- Temperature range 30°C - 275°C
- 3 trays
- Meat probe



### ASKO OS8411SS

Electronic Steam oven, 45 cm.  
Stainless steel.

#### Functions

- 8 temperature options (55°C - 100°C)
- Steam cooking
- Fish cooking
- Melt / lo temp reheating
- Mild steam for delicate food
- Defrost

#### Features

- 1 halogen internal light
- Clock / timer
- LC display
- 1 tray
- 1 steam cook dish set in stainless steel



### ASKO OCM8411SS

Electronic microwave combined oven,  
45 cm. Stainless steel.

#### Functions

- Auto cooking
- Top and bottom heat
- Fan and grill
- Fan
- Grill (hot air grill)
- Drying / defrosting
- Keep warm

#### Features

- 1 halogen internal light
- Clock / timer
- Delayed start
- LC display
- 2 trays

# Built in ovens

## Ovens 60 cm



### ASKO OP8631A

Electronic Oven, 60 cm.  
Anthracite

#### Functions

- SIMPLEbake
- AUTObake
- PRObake
- MYbake
- STEPbake
- Upper & lower heat
- Lower heat
- Upper heat
- Half grill
- Full grill
- Fan grill
- Fan forced & lower heat
- Fan forced
- Fan & lower heat
- Defrost
- Keep warm
- Pyrolytic 90/120/150 mins
- Rapid pre heat

#### Features

- 2 halogen internal light
- 3 fully extendable telescopic rails
- Clock / timer
- Start & and cooking time setting
- TFT display
- Temperature range 30°C - 275°C
- 3 trays
- Meat probe



### ASKO OP8621A

Electronic oven, 60 cm.  
Anthracite

#### Functions

- Auto cooking
- Top & bottom heat
- Fan forced
- Fan forced lower heat
- Fan grilling
- Half grill
- Full grill
- Fan & lower heat
- Lower heat
- Upper heat
- Fan only
- Defrost
- Keep warm
- Pyrolytic 90/120/150 mins
- Memorise 3 favourite programs

#### Features

- 2 halogen internal light
- 2 telescopic 3/4 rails
- Clock / timer
- Delayed start
- LC display
- Temperature range 30°C - 275°C
- 2 trays
- Meat probe



### ASKO OP8611A

Electronic oven, 60 cm.  
Anthracite

#### Functions

- Half grill
- Full grill
- Fan grill
- Fan & lower heat
- Fan forced
- Fan forced & lower heating
- Fan forced upper heat
- Defrost
- Keep warm
- Pyrolytic 90/120/150 mins

#### Features

- 2 halogen internal light
- Clock / timer
- Delayed start
- LC display
- Temperature range 30°C - 275°C
- 2 trays
- Meat probe

## Ovens 45 cm



### **ASKO OS8411A**

Electronic steam oven, 45 cm.  
Anthracite

#### **Functions**

- 8 temperature options (55°C - 100°C)
- Steam cooking
- Fish cooking
- Melt / lo temp reheating
- Mild steam for delicate food
- Defrost

#### **Features**

- 1 halogen internal light
- Clock / timer
- LC display
- 2 trays
- 1 steam cook dish set in stainless steel



### **ASKO OCM8411A**

Electronic microwave combined oven,  
45 cm. Anthracite

#### **Functions**

- Auto cooking
- Top and bottom heat
- Fan and grill
- Fan
- Grill (hot air grill)
- Drying / defrosting
- Keep warm

#### **Features**

- 1 halogen internal light
- Clock / timer
- Delayed start
- LC display
- 2 trays

# Cooktops



## Control your cooking

From early morning breakfast, to late night snacks, the cooktop is in constant use. It needs to be fast, efficient, and easy to maintain. ASKO's range of induction, ceramic and gas cooktops offer freedom and flexibility in the kitchen.

All our cooktops are co-designed to match our wide range of appliances. Choose between 60 cm, 75 cm, 77 cm, 80 cm and 90 cm.





# IQcook



The ASKO IQcook cooktop is equipped with sensors that automatically control the operation without the need to constantly monitor your cooking. The sensor, which can be attached to the lid of your cookware will control the cooking progress in the pan and automatically regulate the temperature and power.

The IQcook system will control the temperature throughout the whole cooking process. Steam cooking with the IQcook cooktop will give you 100% active preservation of nutrients, vitamins and minerals. Fully automatic control over the cooking process eliminates the risk of boilovers.



### IQcook sensors

Wireless communication between the remote LID SENSOR and the induction cooktop lies in the heart of the IQcook system. Data from the sensors is constantly monitored with real-time adjustments of the cooking.

### IQboil

IQboil is used for dishes which should be cooked with more water and need a slow controlled boiling. Suitable for soups and all kinds of pasta.

### IQpro

IQpro is used for finishing dishes that require longer cooking time with slow heating and cooking at lower constant temperature. Best for dishes such as: porridge, goulash, stews, chili con carne, or polenta.

### IQsteam

IQsteam is a revolutionary concept of cooking with steam on induction cooktops. Precise regulation and sensor control maintains a constant level of steam inside the cookware and requires a very low amount of water.



### IQfry

Developed for dishes that are prepared by deep frying. The lid is not used with IQfry program. Suitable for food such as: french fries, spring rolls, or donuts.



### IQgrill

IQgrill is perfect for grilling food with very little or no oil. The IQgrill program is suitable for food such as: steaks, roasts, vegetables, or cheese.

# Induction cooktops



Induction cooktops are changing the way people cook. Using magnetic fields to generate heat, they are the fastest of all cooktops and offer instant precise heat control. Induction cooktops are becoming more popular in Australia. They work quite differently to conventional, electric, or gas cooktops. Induction cooktops use magnetic fields to

transfer heat directly onto your pot. All the source energy is supplied to the pot whereas, with conventional, electric, or gas cooktops, the energy is first converted to heat and only then directed to the pot with much of that heat going to waste.



### Adaptive Zone™

ASKO's flexible Adaptive Zone™ provides the ability to bridge two cooking zones together to create one large cooking zone, allowing you to optimise your cooking space. Our Adaptive Zone™ provides the ideal amount of space for large pots and pans, making your cooking options endless.

### 6 Auto programs

The auto programs will help you to keep the right temperature when boiling, frying, simmering, grilling, wok cooking and keep the food warm.



### Simple to use

Our induction cooktops are smart. The flat glass surface provides a minimalist, designer look that's also highly practical. Spills can be wiped up in seconds, and touch controls with easy to read displays make them super simple to use.



### Making time

Hungry? In a hurry? No problem. With an ASKO induction cooktop you can cook faster than ever. Boiling two liters of water will take under 5 minutes.

# Gas cooktops



The ASKO gas cooktops are all designed to give you the best possible cooking experience. The flame is perfectly controllable with a wide control range and a high output giving you the advantage of cooking fast and economically. The cooktop is also very easy to clean due

to the handy cast-iron pan supports that can be removed individually. Our cooktops are also safe due to the introduction of flame failure technology. No flame mean no gas! Safety is an ASKO priority.



### A+ burners

A+ burners on our gas cooktops have a very high output to cook fast and economically, so even a litre of water can boil approximately two minutes faster than other burners. ASKO burners also feature perfectly controllable pure flame with a wide control range.

### Logical layout

The placement of the large burners at the front, means that the most used burners are easily accessible and large pots don't hit the rear wall. This configuration not only looks fantastic, it also allows you to use more pots and pans at once.

### Separate spill zone

If you accidentally boil something over it will be contained within the area it was spilled. For example our HG1984 has 3 spill zones, this means if something boiled over in the wok zone it would remain there and not interfere with other areas.

### Easy to clean

The burner caps are finished with Flex®enamel and the burner bases are finished with Keradur enamel (heat and scratch resistant) which makes cleaning easy and extends the lifespan of the appliance.



### Safety

No flame, no gas! Should the flame be extinguished by a draught or water boiling over for example, the gas supply to that particular burner will be cut-off.



### Flex®enamel coating on the one piece burners

Burner caps are covered with Flex®enamel and the burner ring is finished with a heat resistant Keradur coating which is hard wearing, scratch and dirt resistant.

# Cooktops

## Induction



### ASKO HI1774 IQcook

Induction cooktop, 4 zones, 78 cm

#### Performance

- 1x14,5 cm (1400/2200 W)
- 2x18 cm (1850/3000 W)
- 1x21 cm (2300/3700 W)

#### Features

- LED display
- Touch control
- 12 power levels
- Booster on all zones
- Pan detection
- Power indication
- IQ Sensor cooking
- Pause function

#### Cleaning

Bevelled glass surface with touch controls makes cleaning very easy

#### Safety

Residual heat indication, child-safe control panel, pot detection, 2-12 hour maximum cook time, auto cut off



### ASKO HI1983 Adaptive zone™

Induction cooktop 5 zones, 90 cm

#### Performance

- 2 x Adaptive zones (total power 7400 W) or 4 individual zones (1700 W)
- 1X26 cm double ring zone (5500 W)

#### Features

- LED display
- Touch control
- 12 power levels
- Booster on all zones (when used separately)
- Adaptive Zone™
- Pan detection
- Power indication
- 6 Automatic cooking programs
- Pause function

#### Cleaning

Bevelled glass surface with touch controls makes cleaning very easy

#### Safety

Residual heat indication, child-safe control panel, pot detection, 10 hour maximum cook time, auto cut off



### ASKO HI1683 Adaptive zone™

Induction cooktop, 4 zones, 64 cm

#### Performance

- 2 x Adaptive zones (total power 7400 W) or 4 individual zones (1700 W)

#### Features

- LED display
- Touch control
- 12 power levels
- Booster on all zones (when used separately)
- Adaptive Zone™
- Pan detection
- Power indication
- 6 Automatic cooking programs
- Pause function

#### Cleaning

Bevelled glass surface with touch controls makes cleaning very easy

#### Safety

Residual heat indication, child-safe control panel, pot detection, 10 hour maximum cook time, auto cut off



## Ceramic



### ASKO HI1832

Induction cooktop, 4 zones, 77 cm

#### Performance

- 2x18 cm (2800 W),
- 16 cm (2200 W)
- 21 cm (3100 W)

#### Features

- LED display
- EasyDial™ control
- 9 power levels and booster on all zones
- Direct access to 3 power levels
- Timer per zone
- Power indication

#### Cleaning

Bevelled glass surface with touch controls makes cleaning extremely easy

#### Safety

Residual heat indication, child-safe control panel, auto stop, pot detection, 10 hour maximum cook time, auto cut off



### ASKO HI1632

Induction cooktop, 4 zones, 58 cm

#### Performance

- 2x18 cm (2800 W),
- 16 cm (2200 W)
- 21 cm (3100 W)

#### Features


- LED display
- EasyDial™ control
- 9 power levels and booster on all zones
- Direct access to 3 power levels
- Timer per zone
- Power indication

#### Cleaning

Bevelled glass surface with touch controls makes cleaning extremely easy

#### Safety

Residual heat indication, child-safe control panel, auto stop, pot detection, 10 hour maximum cook time, auto cut off



### ASKO HC1651

Ceramic cooktop, 4 zones, 58 cm

#### Performance

- 1 extending zone 12 & 21 cm (700 & 2100 W)
- 2x14.5 cm (1200 W)
- 1 extending zone 12 & 18 cm (750 & 1700 W)

#### Features

- Touch control
- Timer
- Ceramic glass for rapid heating

#### Cleaning

Flat ceramic surface with touch controls makes cleaning very easy

#### Safety

Residual heat indication, child-safe control panel, safety switch turns off entire heating area

# Cooktops

## Gas cooktops



### ASKO HG1984A - Anthracite

Gas cooktop, 4 zones plus wok, 90 cm

#### Performance

- 2x6.7 MJ medium burners
- 3.6 MJ simmer burner
- 8.5 MJ large burner
- 14.9 MJ wok burner

#### Features

- Unique A+ Burner technology
- Directional burners
- Automatic ignition

#### Cleaning

One piece body, burners, removable knobs for easy cleaning, smooth cast iron trivets, 3 separate spill zones

#### Safety

Child proof activation, auto cut off if gas supply is interrupted



### ASKO HG1984S

Gas cooktop, 4 zones plus wok, 90 cm

#### Performance

- 2x6.7 MJ medium burners
- 3.6 MJ simmer burner
- 8.5 MJ large burner
- 14.9 MJ wok burner

#### Features

- Unique A+ burner technology
- Directional burners
- Automatic ignition

#### Cleaning

One piece body, burners, removable knobs for easy cleaning, smooth cast iron trivets, 3 separate spill zones

#### Safety

Child proof activation, auto cut off if gas supply is interrupted



### ASKO HG1774A - Anthracite

Gas cooktop, 4 zones plus wok, 75 cm

#### Performance

- 2x6.7 MJ medium burners
- 3.6 MJ simmer burner
- 8.5 MJ large burner
- 14.9 MJ wok burner

#### Features

- Unique A+ burner technology
- Directional burners
- Automatic ignition

#### Cleaning

One piece body, burners, removable knobs for easy cleaning, smooth cast iron trivets, 3 separate spill zones

#### Safety

Child proof activation, auto cut off if gas supply is interrupted

(Available September 2013)



#### **ASKO HG1774S**

Gas cooktop, 4 zones plus wok, 75 cm

##### **Performance**

- 2x6.7 MJ medium burners
- 3.6 MJ simmer burner
- 8.5 MJ large burner
- 14.9 MJ wok burner

##### **Features**

- Unique A+ burner technology
- Directional burners
- Automatic ignition

##### **Cleaning**

One piece body, burners, and removable knobs for easy cleaning, smooth cast iron trivets, 3 separate spill zones

##### **Safety**

Child proof activation, auto cut off if gas supply is interrupted



#### **ASKO HG1664S**

Gas cooktop, 3 zones plus wok, 63 cm

##### **Performance**

- 2x6.7 MJ medium burners
- 3.6 MJ simmer burner
- 14.9 MJ wok burner

##### **Features**

- Unique A+ burner technology
- Directional burners
- Automatic ignition

##### **Cleaning**

One piece body, burners, and removable knobs for easy cleaning, smooth cast iron trivets, 4 separate spill zones

##### **Safety**

Child proof activation, auto cut off if gas supply is interrupted



#### **ASKO HG1654S**

Gas cooktop, 4 zones, 60 cm

##### **Performance**

- 2x6.7 MJ medium burners
- 3.6 MJ simmer burner
- Large 8.5 MJ burner

##### **Features**

- Unique A+ burner technology
- Directional burners
- Automatic ignition

##### **Cleaning**

One piece body, burners, and removable knobs for easy cleaning, smooth cast iron trivets, 2 separate spill zones

##### **Safety**

Child proof activation, auto cut off if gas supply is interrupted

# Rangehoods



ASKO's rangehoods are ideal for open plan living, and there are different styles for different tastes and kitchen types. Our rangehoods have a minimalist design with no obtrusive buttons or dials, and powerful air and whisper

quiet operation. With ASKO's rangehoods, the only thing lingering after a big dinner party will be the smiles on the faces of your contented guests.



# Rangehoods



ASKO's rangehoods are at the forefront of design, no obtrusive buttons or dials. A simple statement that makes a huge impact in your kitchen. They also adhere to the ASKO's principle of performance and being easy to use.



### High capacity fume removal

Our rangehoods have effective high powered motors to remove 94.1-99.7% of cooking fumes according to international standards.

### Boost function

The boost function speeds up the extraction of the air for extra power when you need it.

### Fan filter is dishwasher safe

An efficient 5-layer filter to better collect the grease. The filter is washable and when it needs cleaning you can easily put it in your ASKO dishwasher.

### 15 minute off timer

The built-in timer is conveniently fitted in the hood's panel and includes an 15 minute off timer.



### AirQuiet™ motor

ASKO's rangehoods will not only compliment your kitchen, but will perform without being obtrusive and expels odours with minium noise. (AirQuiet motor on models CO4620 and CO4920).



### Something for everyone

No other rangehoods are more suitable for open plan living than ASKO's. All our rangehoods keep noise down and can provide a central design focus for your kitchen or blend in seamlessly, depending on your kitchen design and personal preference.

# Rangehoods

## Rangehoods



### ASKO CC4840

Concealed rangehood, 86 cm

#### Performance

- Capacity motor: 760 m<sup>3</sup>/h

#### Functions

- 4 power levels inc. boost
- Electronic timer for delayed switch-off

#### Features

- Electronic hidden controls
- LED indicator for fan speed
- Cleaning alarm on aluminium filter after 30 hours of use
- Twin halogen lighting
- Adjustable halogen lighting
- Forced perimetre extraction clean air program
- Replacement alarm on carbon filters after 120 hours of use



### ASKO CW4951

Glass canopy hood, 90 cm

#### Performance

- Capacity motor: 760 m<sup>3</sup>/h

#### Functions

- 4 power levels inc. boost
- Electronic timer for delayed switch-off

#### Features

- Touch control
- LC-display with energy-saving mode
- Real-time clock with 1-59 minute timer
- 15 minute off timer
- Twin halogen lighting



### ASKO CW4911

Sloped glass canopy hood, 90 cm

#### Performance

- Capacity motor: 760 m<sup>3</sup>/h

#### Functions

- 4 power levels inc. boost
- Electronic timer for delayed switch-off

#### Features

- Touch control
- LC-display with energy-saving mode
- Real-time clock with 1-59 minute timer
- 15 minute off timer
- Twin halogen lighting





#### **ASKO CO4920**

Slide out rangehood, 90 cm

##### **Performance**

- Capacity motor: 650 m<sup>3</sup>/h

##### **Functions**

- 4 power levels inc. boost
- Electronic timer for delayed switch-off

##### **Features**

- Push-button front located controls
- Insulated motor for lower noise levels
- Twin halogen lighting
- Stainless steel filters
- AirVent™ program
- AirQuiet™ motor



#### **ASKO CO4620**

Slide out rangehood, 60 cm

##### **Performance**

- Capacity motor: 650 m<sup>3</sup>/h

##### **Functions**

- 4 power levels inc. boost
- Electronic timer for delayed switch-off

##### **Features**

- Push-button front located controls
- Insulated motor for lower noise level
- Twin halogen lighting
- Stainless steel filters
- AirVent™ program
- AirQuiet™ motor



#### **ASKO CC4520**

Concealed rangehood, 52 cm

##### **Performance**

- Capacity motor: 670 m<sup>3</sup>/h

##### **Functions**

- 4 power levels inc. boost
- Electronic timer for delayed switch-off

##### **Features**

- Electronic hidden controls
- LED indicator for fan speed
- Twin halogen lighting
- Cleaning alarm on aluminium filter after 30 hours of use
- Clean air program

# Dishwashers



## ASKO dishwashers

We enjoy creating masterpieces in the kitchen and sharing good food with special friends. It's the cleaning up afterwards that can take the fun out of it. Some dishwashers can handle plates but not pots. Others are good with bowls but not baking trays.

With ASKO, you get a dishwasher that does it all, including cleaning your precious red wine glasses. However, the real magic happens after you turn it on, giving new meaning to the term, 'a quiet night in'.



Style



Classic



Logic

# Dishwashers



## A better dishwasher starts with better thinking

ASKO build dishwashers with many outstanding features - it's a Scandinavian thing. We're always asking ourselves how we can make something better. How we can make life easier for you? Continuous improvement is in our DNA and

it lives in every ASKO machine. Whether you are designing or renovating your kitchen or deciding to upgrade your current dishwasher, ASKO has a model to suit your needs.



### It's whispering

Our dishwashers are so silent that we've installed a buzzer so that you can hear when the dishes are ready. That's how silent the ASKO dishwasher is.

### No rinsing required

SCS+ is a patented jet system that blasts off food particles, channels them to a central drain, then cleans the fine filter and all the interior surfaces prior to the main wash. This means you never have to pre-rinse your dishes. SCS+ saves water, saves energy, and reduces wash times.

### XXL - our largest loading capacity ever!

ASKO dishwashers allow you to wash bigger loads than ever before. Our standard models have an external height of 82cm and a loading height of 54cm. While our XXL models have an outside height of 86cm, and a whopping loading height of 58cm, giving you one of the largest capacities on the market.

### Flexible loads

The baskets in an ASKO dishwasher are easily adapted to your load. The middle basket (certain models, please see page 60-61 for technical specification) is divided into two removable sections: one for your larger utensils and one for bowls and cups. There is a perfect spot for every item and a perfect result after every wash.



### Time program and program memory

You decide the program time and the machine will apply the best possible program for that time. Select program time and temperature depending on how dirty the dishes are. The program memory automatically remembers the last run program, so if you want to repeat it the next day - just press the start button.



### Status Light™

At the bottom right of our dishwashers (certain models, please see page 60-61 for technical specification) we have placed a light that makes life a whole lot easier for you. In a smart way it communicates with you using three different colours to tell you what the machine is doing.

# Why an ASKO dishwasher?



Our range of dishwashers offers you a total solution when it comes to taking care of your dirty dishes in the best and most convenient way. The unique new drying function Turbo Drying Express™ saves you time and dries even the smallest loads or plastic objects. The intelligent Status

Light™ tells you all you need to know about the ongoing program and when the machine is ready. Our machines are also some of the quietest on the market and won't disturb anyone in the kitchen.



## Saves water

An ASKO dishwasher saves water. It uses as little as 13.9 liters of water on a normal wash. And thanks to our basket design and water distribution system there is no need to rinse dishes before loading them, which means even less water wastage.

## 10Spray™ & PowerZones

Different dishes require different efforts. That's why we've divided the machine into 10 different highly effective spray zones including three PowerZones where every item has a tailor made place for the best washing result for the full load. 10Spray™ on models D5894SSXXL and D5894FiXXL.



## Save time and money


Our new powerful drying function improves the drying result and significantly shortens program time, about 30 minutes with a normal program. It also has the unique ability to give a perfect drying result even on plastic objects and smaller loads. We call it Turbo Drying Express™ (on model D5894XXL and D5894Fi XXL).



## Interior light

There is a small yet highly effective light in your dishwasher. It comes on when you open the door and lights up the whole machine. It makes loading and unloading simpler, and makes it easier to find any cutlery or other items you may have dropped in the dishwasher.

# The hard facts



No other material lasts as long as stainless steel, especially in an environment where salt, rinse aid and detergent are everyday factors. Since we use non-magnetic 18.9 high-quality stainless steel in all parts that come in contact with water our dishwashers will not rust.





### One piece steel door

The door is one of the parts that you use most on your dishwasher. All ASKO dishwashers are delivered with a one piece steel door solution meaning a more stable, long lasting design with fewer parts that can break.

### Spray arms

When you're choosing a dishwasher, take a close look at the spray arms, which do the hard work. ASKO's dishwashers are fitted with stainless steel spray arms in 18.9 steel, which are combined with slower rotation giving a better washing result and a longer life.



### Telescopic rails


The basket rails are one of the parts in a dishwasher that wear most. Just think of the number of times you load and unload the dishwasher. Therefore, we manufacture all of our dishwashers with stainless steel telescopic rails. Stainless steel will not wear out, which ensures that the rails are stable and free of problems year after year.



### Stainless filter

The stainless steel filter will remain effective and keep your dishwasher clean year after year. With ASKO's dishwashers you only have to clean the filter around 2 times a year. Electropolished stainless steel filters and continuous airing and spraying, combined with the patented ASKO SuperCleaningSystem™, keep the strainer and filter clean.

# Outdoor



ASKO's outdoor dishwasher is the first dishwasher specifically designed for outdoor use. You can now dine, load dishes, and continue entertaining your guests without so

much as a break in the conversation. No more missing out on special moments while running back inside with piles of plates and platters.



### Stainless steel outside

Incorporating the high-end scandinavian design and quality that ASKO is famous for, the ASKO outdoor dishwasher features stainless steel top, sides, and back for added environmental protection. All steel parts come with advanced corrosion protection, while sealed electronics keep out the harsh Australian elements.

### Intelligent on the inside

The ASKO outdoor dishwasher has been designed with the serious outdoor entertainer in mind. Capacity for 14 place settings, a flexible basket system for large plates and platters, plus a 4 star WELS water efficiency rating, make it the perfect addition to the ultimate outdoor kitchen.



### Flexible loading options

It has more than enough room to fit anything you need cleaned. Wine glasses, no matter their size, can be stacked easily and safely, and will come out sparkling clean and let's be honest, wine glass cleanliness is extremely important to any outdoor meal.



### Conversation starter

It's close proximity also means that you won't miss out on valuable conversation time with your guests, and let's face it; this dishwasher is the ultimate conversation starter.

# Dishwashers

## Dishwashers



### ASKO D5894 XXL

Type: Built-in, 86 cm

#### Capacity

- 15 place settings
- Energy star: 3.5
- Water star: 4.5

#### Number of Programs

- 16

#### Programming options

- Adjustable temperatures
- Delayed start 1-24 h
- Time set
- Time saver
- Super rinse
- Tab
- Cool touch
- Half load upper or lower baskets
- Turbo Drying Express™

#### Flexiracks™

- Exclusive height-adjustable upper basket
- Exclusive lower basket
- Cutlery basket
- Middle basket
- Knife basket



### ASKO D5644 XXL

Type: Built-in, 86 cm

#### Capacity

- 14 place settings
- Energy star: 3.5
- Water star: 4

#### Number of Programs

- 10

#### Programming options

- Adjustable temperatures
- Delayed start 1-24 h
- Time set
- Turbo Drying™

#### Flexiracks™

- Premium height-adjustable upper basket
- Premium lower basket
- Cutlery basket
- Knife basket



### ASKO D5644

Type: Built-in, 82 cm

#### Capacity

- 14 place settings
- Energy star: 3.5
- Water star: 4

#### Number of Programs

- 10

#### Programming options

- Adjustable temperatures
- Delayed start 1-24 h
- Time set
- Turbo Drying™

#### Flexiracks™

- Premium height-adjustable upper basket
- Premium lower basket
- Cutlery basket
- Knife basket



**ASKO D5457**

Type: Built-in, 82 cm

**Capacity**

- 14 place settings
- Energy star: 3.5
- Water star: 4

**Number of Programs**

- 6

**Programming options**

- Adjustable temperatures
- Delayed start 1-24 h
- Time set
- Time saver
- Turbo Drying™

**Flexiracks™**

- Premium height-adjustable upper basket
- Premium lower basket
- Cutlery basket
- Knife basket



**ASKO D5434**

Type: Built-in, 82 cm

**Capacity**

- 14 place settings
- Energy star: 3.5
- Water star: 4

**Number of Programs**

- 6

**Programming options**

- Adjustable temperatures
- Delayed start 1-24 h
- Turbo Drying™

**Flexiracks™**

- Premium upper basket
- Premium lower basket
- Cutlery basket



**ASKO D5424**

Type: Built-in, 82 cm

**Capacity**

- 14 place settings
- Energy star: 3
- Water star: 4

**Number of Programs**

- 6

**Programming options**

- Adjustable temperatures

**Flexiracks™**

- Standard upper basket
- Standard lower basket
- Cutlery basket

# Dishwashers

## Dishwashers



### ASKO D5457

Type: Built-in, 82 cm

#### Capacity

- 14 place settings
- Energy star: 3.5
- Water star: 4.5

#### Number of Programs

- 6

#### Programming options

- Adjustable temperatures
- Delayed start 1-24 h
- Time set
- Time saver
- Turbo Drying™

#### Flexiracks™

- Premium height-adjustable upper basket
- Premium lower basket
- Cutlery basket
- Knife basket



### ASKO D5434

Type: Built-in, 82 cm

#### Capacity

- 14 place settings
- Energy star: 3.5
- Water star: 4

#### Number of Programs

- 6

#### Programming options

- Adjustable temperatures
- Delayed start 1-24 h
- Turbo Drying™

#### Flexiracks™

- Premium upper basket
- Premium lower basket
- Cutlery basket



### ASKO D5424

Type: Built-in, 82 cm

#### Capacity

- 14 place settings
- Energy star: 3
- Water star: 4

#### Number of Programs

- 6

#### Programming options

- Adjustable temperatures

#### Flexiracks™

- Standard upper basket
- Standard lower basket
- Cutlery basket



#### **ASKO D5894 Fi XXL**

Type: Fully integrated, 86 cm  
Status Light™

##### **Capacity**

- 15 place settings
- Energy star: 3.5
- Water star: 4.5

##### **Number of Programs**

- 15

##### **Programming options**

- Adjustable temperatures
- Delayed start 1-24 h
- Time set
- Time saver
- Super rinse
- Tab
- Cool touch
- Half load upper or lower baskets
- Turbo Drying Express™

##### **Flexiracks™**

- Exclusive height-adjustable upper basket
- Exclusive lower basket
- Cutlery basket
- Middle basket
- Knife basket



#### **ASKO D5544 Fi XXL**

Type: Fully integrated, 86 cm  
Status Light™

##### **Capacity**

- 14 place settings
- Energy star: 3.5
- Water star: 4

##### **Number of Programs**

- 10

##### **Programming options**

- Adjustable temperatures
- Delayed start 1-24 h
- Time set
- Turbo Drying™

##### **Flexiracks™**

- Premium height-adjustable upper basket
- Premium lower basket
- Cutlery basket



#### **ASKO D5544 Fi**

Type: Fully integrated, 82 cm  
Status Light™

##### **Capacity**

- 14 place settings
- Energy star: 3.5
- Water star: 4

##### **Number of Programs**

- 10

##### **Programming options**

- Adjustable temperatures
- Delayed start 1-24 h
- Time set
- Turbo Drying™

##### **Flexiracks™**

- Premium height-adjustable upper basket
- Premium lower basket
- Knife basket

# Dishwashers

## Dishwashers



### ASKO D5532Fi

Type: Fully integrated, 82 cm

#### Capacity

- 14 place settings
- Energy star: 3
- Water star: 4

#### Number of Programs

- 9

#### Programming options

- Adjustable temperatures
- Delayed start 1-24h
- Turbo Drying™

#### Flexiracks™

- Standard upper basket
- Standard lower basket
- Cutlery basket

## Outdoor



### ASKO D5954 OUTDOOR

Type: Freestanding or under bench  
Colour: TouchProof™ stainless steel

#### Number of Programs

- 10

#### Features

- Delayed start (1 - 24 hours)
- High temperature option
- Time saver
- KidSafe™ control panel
- AquaSafe™
- SteamSafe™

#### Baskets

- Exclusive 23 cm height adjustable upper basket
- Exclusive 31 cm lower basket
- Knife basket

## Top & Side panels



### Top & side panel kit

With the top & side panel kit you can easily make your ASKO Built in dishwasher a freestanding dishwasher. The kit is possible to use with both XL and XXL models. Available in stainless steel, white or metal grey.



# Technical specifications

## OVENS

	OP8631	OP8621	OP8611	OT8601	OS8411	OCM8411
<b>MODEL</b>						
Built-in	•	•	•	•	•	•
Colour	ss/anthracite	ss/anthracite	ss/anthracite	ss	ss/ anthracite	ss/ anthracite
<b>DIMENSIONS</b>						
Built-in (WxHxD) (mm)	560/600/550	560/600/550	560/600/550	560/600/550	460/450/550	560/450/550
Exterior dimensions (WxHxD) (mm)	597/595/565	597/595/565	597/595/565	597/595/565	592/456/423	592/456/570
<b>EFFICIENCY</b>						
Energy rating <sup>1, A-G</sup>	A	A	A	A	na	na
Heating	Conventional/ hot-air	Conventional/ hot-air	Conventional/ hot-air	Conventional/ hot-air	Steam	Microwave
Gross oven volume (L)	65	65	65	70	23	40
Max. temperature (°C)	275	275	275	275	100	250
Cavity material	Enamelled	Enamelled	Enamelled	Enamelled	Stainless steel	Enamelled
Languages	30					
Type of control	TFT Colour Screen	Touch control	Knob/push button	Knob/push button	Knob/push button	Knob/push button
Delayed start	•	•	•	•	-	-
<b>OVEN FUNCTIONS</b>						
SIMPLEbake	•	-	-	-	-	-
AUTObake	•	-	-	-	-	-
PRObake	•	-	-	-	-	-
STEPbake	•	-	-	-	-	-
Fan and bottom heat	•	•	•	•	-	-
Top/bottom heat	•	•	•	•	-	-
Fan	•	•	•	•	-	-
Fan & Lower element	-	-	-	•	-	-
Fan Forced	-	-	-	•	-	-
Fan Forced & Lower element	-	-	-	•	-	-
Fan and grill	•	•	•	•	-	-
Grill (hot-air grill)	•	•	•	•	-	-
Half grill/Full grill	- / -	- / -	- / -	• / •	- / -	- / -
Drying/defrosting	• / •	• / •	• / •	- / •	- / •	• / •
Pizza function	-	-	-	-	-	-
Keep warm	•	•	•	-	-	-
Pyro 90/120/150 min	• / • / •	• / • / •	• / • / •	- / - / -	- / - / -	- / - / -
Aqua clean	-	-	-	•	-	-
Steam cooking 55 - 100°C	-	-	-	-	•	-
Microwave	-	-	-	-	-	•
Keep warm	•	•	•	-	-	•
Internal light (W)	25	25	25	25	15	15
No. of glass panes in door	4	4	4	3	2	2
Memory	120	3	-	-	-	-
Fish	-	-	-	-	•	-
Fragile	-	-	-	-	•	-
Melt	-	-	-	-	•	-
<b>ACCESSORIES</b>						
Telescopic rails	3 Fully	2 3/4	-	-	-	-
Trays	3	2	-	3	2	2
Probe	•	•	•	•	-	-
1 steam cook. dish set in stainless steel	-	-	-	-	•	-
<b>INSTALLATION</b>						
Voltage (V)	240	240	240	240	240	240
Frequency (Hz)	50	50	50	50	50	50
Fuse (A)	15	15	15	15	10	15
Max. effect (kW)	3.3	3.3	3.3	3.3	1.8	3.4

# Technical specifications

## ELECTRIC COOKTOPS

MODEL	HI1774	HI1983	HI1683	HI1832	HI1632	HC1651
Type	induction	induction	induction	induction	induction	ceramic
Colour/edge	anthracite	anthracite	anthracite	anthracite	anthracite	anthracite/ss
<b>FEATURES</b>						
Control devices	Touch control	Touch control	Touch control	Touch control	Touch control	Touch control
Power levels	12	12	12	9	9	9
Hi-Light elements	-	-	-	-	-	•
Timer	•	•	•	•	•	•
Power indication	•	•	•	•	•	•
Booster function	•	•	•	•	•	•
<b>SAFETY</b>						
Child lock	•	•	•	•	•	•
Overflow / overheat	•/•	•/•	•/•	•/•	•/•	•/
Residual heat indicator	•	•	•	•	•	•
Cooking time limiter (auto stop)	•	•	•	•	•	•
<b>ZONE SIZE AND WATTS</b>						
Left center		5500/260				
Front left (W/mm)	2100/3700/210	3700/190X220	3700/190X220	2800/180	2800/180	700/2100/120/210
Back right (W/mm)	1850/3000/180	3700/190X220	3700/190X220	3100/210	3100/210	750/1700/120/180
Back left (W/mm)	1400/2200/145	3700/190X220	3700/190X220	2800/180	2800/180	1200/145
Front right (W/mm)	1850/3000/180	3700/190X220	3700/190X220	2200/160	2200/160	1200/145
<b>INSTALLATION</b>						
Connected power (kW)	7.4	11.1	7.4	7.2	7.2	6.2
Voltage (V)	240	400	400	240	240	240
Frequency (Hz)	50	50	50	50	50	50
Current (A)	16	15	15	15	15	15
Power cord length (cm)	150	150	150	150	150	112

## RANGEHOODS

MODEL	CC4840	CW4951	CW4911	CO4920	CO4620	CC4520
Type	concealed	canopy	canopy	slide out	slide out	concealed
Colour	ss	ss	ss	ss	ss	ss
<b>TECHNICAL DATA</b>						
Integrated motor in hood body	•	•	•	•	•	•
Lighting (Halogen) (W)	2x20	2x20	2x20	2	2	2x20
Regulation (speed levels + booster)	4	4	4	4	4	3
Control devices	Electronic hidden controls	Touch buttons	Touch buttons	Push-button, front located controls	Push-button, front located controls	Electronic buttons
Audible timer (min)	-	1-59	1-59	-	-	-
Off timer (min)	15	15	15	15	15	15
Air movement (m <sup>3</sup> )	760	760	760	650	650	670
<b>CLEANING</b>						
Fat collector	-	•	•	-	-	-
Washable aluminium grease filter	•	•	•	•	•	•
Teflon coated metal fan blades	-	•	•	-	-	-
Filter cleaning indication	•	•	•	-	-	•
<b>INSTALLATION</b>						
Voltage (V)	240	240	240	240	240	240
Frequency (Hz)	50	50	50	50	50	50
Cable (cm)	80	150	150	80	80	100
Ducting outlet diameter (mm)	150	150	150	150	150	150
Plug	•	•	•	•	•	•

# Technical specifications

## GAS COOKTOPS

MODEL	HG1984A	HG1984S	HG1774A	HG1774S	HG1664S	HG1654S
Plates	gas	gas	gas	gas	gas	gas
Colour	anthracite	ss	anthracite	ss	ss	ss
<b>DIMENSIONS</b>						
Built-in (WxD) (mm)	860x490	860x490	730x490	560x490	560x490	560x490
Exterior dimensions (WxD) (mm)	900x526	900x526	750x526	750x526	625x510	600x526
Weight net / gross (kg)	16.8/19.0	16.8/19.0	15.0/17.0	15.0/17.0	10.4/12	10.2/12
<b>FEATURES</b>						
Power levels	infinite/continuous	infinite/continuous	infinite/continuous	infinite/continuous	infinite/continuous	infinite/continuous
Ignition system	•	•	•	•	•	•
<b>COOKING</b>						
Normal	•	•	•	•	•	•
Rapid	•	•	•	•	•	•
Simmer	•	•	•	•	•	•
Wok	•	•	•	•	•	-
<b>SAFETY</b>						
Safety device for gas	thermo electric	thermo electric	thermo electric	thermo electric	thermo electric	thermo electric
<b>HEATING ZONES</b>						
Front middle (MJ/h)	1.7-6.7	1.7-6.7	1.7-6.7	1.7-6.7	-	-
Rear middle (MJ/h)	0.88-3.6	0.88-3.6	1.7-6.7	1.7-6.7	-	-
Front left (MJ/h)	14.9	14.9	14.9	14.9	14.9	1.8-8.5
Rear right (MJ/h)	1.7-6.7	1.7-6.7	0.88-3.6	0.88-3.6	1.7-6-7	0.88-3.6
Rear left (MJ/h)	-	-	-	-	0.88-3.6	1.7-6.7
Front right (MJ/h)	1.8-8.5	1.8-8.5	1.8-8.5	1.8-8.5	1.7-6.7	1.7-6.7
<b>INSTALLATION</b>						
Gas type	NG	NG	NG	NG	NG	NG
Alternative gas type	LPG conversion kit	LPG conversion kit	LPG conversion kit	LPG conversion kit	LPG conversion kit	LPG conversion kit
Power cord length (cm)	230	230	230	230	230	230

# Technical specifications

## DISHWASHERS

MODEL	D5894 XXL	D5644 XXL	D5644	D5457	D5434	D5424	D5457
Construction type	Built in	Built in	Built in	Built in	Built in	Built in	Built in
Main colour of product	ss	ss	ss	ss	ss	ss	White
<b>ENERGY LABEL INFORMATION / PERFORMANCE</b>							
Reference program (used for energy label classification)	Normal	Normal	Normal	Normal	Normal	Normal	Normal
Number of place settings, tested (energy label )	15	14	14	14	14	14	14
Noise level (dB(A))	44	46	46	48	48	48	48
Total estimated energy consumption (220 full loads) (kWh)	294	273	273	273	259	322	273
Total cycle time of reference program (h)	2:05	1:45	1:45	1:45	1:45	2:00	1:45
Detergent consumption (g)	25	25	25	25	25	25	25
Energy star	3.5	3.5	3.5	3.5	3.5	3	3.5
Water star	4.5	4	4	4	4	4	4
<b>FEATURES</b>							
Delayed start	1-24 hr	1-24 hr	1-24 hr	1-24 hour	1-24 hr	-	1-24 hr
1/2 Load function	•	-	-	-	-	-	-
Maximum temperature for water intake (°C)	70	70	70	70	70	70	70
Long drying	•	•	•	•	•	•	•
Time saver	•	-	-	•	-	-	•
Time set (only if time programme is selected)	•	•	•	•	-	-	•
Turbo drying	•	•	•	•	•	-	•
Number of spray zones	10Spray™	8Spray™	8Spray™	8Spray™	7Spray™	5Spray™	8Spray™
<b>ASKO TRADEMARKS</b>							
Super Cleaning System (SCS+™)	•	•	•	•	•	•	•
SuperRinse™	•	-	-	-	-	-	-
CoolTouch™	•	-	-	-	-	-	-
StatusLight™	•	-	-	-	-	-	-
Turbo drying express™	•	-	-	-	-	-	-
<b>PROGRAMS</b>							
Daily	•	•	•	•	•	•	•
Heavy	•	•	•	•	•	•	•
Normal	•	•	•	•	•	•	•
Mixed	•	-	-	-	-	-	-
Upper basket	•	-	-	-	-	-	-
Lower basket	•	-	-	-	-	-	-
Time	•	•	•	•	-	-	•
Delicate	•	•	•	-	-	-	-
Quick	•	•	•	-	•	•	-
Super quick	•	•	•	-	-	-	-
Plastic	•	-	-	-	-	-	-
Eco	•	•	•	•	•	•	•
Crockery warming	•	-	-	-	-	-	-
Rinse and hold	•	•	•	•	•	•	•
Rinse and dry	•	•	•	-	-	-	-
<b>INSTALLATION</b>							
Pex hose connection, dimensions (inch)	3/4	3/4	3/4	3/4	3/4	3/4	3/4
Required inlet water pressure (Mpa)	0.03-1	0.03-1	0.03-1	0.03-1	0.03-1	0.03-1	0.03-1
Length inlet hose (cm)	158	158	158	158	158	158	158
Length outlet hose (cm)	198	198	198	198	198	198	198
Connection rating (W)	1800	1800	1800	1800	1800	1800	1800
Current (A)	10	10	10	10	10	10	10
Voltage (V)	240	240	240	240	240	240	240
Frequency (Hz)	50	50	50	50	50	50	50
Length of electrical supply cord (cm)	182	182	182	182	182	182	182

# Technical specifications


## DISHWASHERS

MODEL	D5434	D5424	D5894 Fi XXL	D5544 Fi XXL	D5544 Fi	D5532 Fi	D5954 Outdoor
Construction type	Built in	Built in	Fully integrated	Fully integrated	Fully integrated	Fully integrated	FS
Main colour of product	White	White					ss
<b>ENERGY LABEL INFORMATION / PERFORMANCE</b>							
Reference program (used for energy label classification)	Normal	Normal	Normal	Normal	Normal	Normal	Normal
Number of place settings, tested (energy label )	14	14	15	14	14	14	14
Noise level (dB(A))	48	48	44	46	46	48	48
Total estimated energy consumption (220 full loads) (kWh)	259	322	294	273	273	322	-
Total cycle time of reference program (h)	1:45	2:00	2:05	1:45	1:45	2:00	2:00
Detergent consumption (g)	25	25	25	25	25	25	25
Energy star	3.5	3	3.5	3.5	3.5	3	3
Water star	4	4	4.5	4	4	4	4
<b>FEATURES</b>							
Delayed start	1-24 hr	-	1-24 hr	1-24 hr	1-24 hr	1-24 hour	1-24 hr
1/2 Load function	-	-	•	-	-	-	-
Maximum temperature for water intake (°C)	70	70	70	70	70	70	70
Long drying	•	•	•	•	•	•	•
Time saver	-	-	•	-	-	-	•
Time set (only if time programme is selected)	-	-	•	•	•	-	•
Turbo drying	•	-	•	•	•	-	-
Number of spray zones	7Spray™	5Spray™	10Spray™	8Spray™	8Spray™	5Spray™	8Spray™
<b>ASKO TRADEMARKS</b>							
Super Cleaning System (SCS+™)	•	•	•	•	•	•	•
SuperRinse™	-	-	•	-	-	-	-
CoolTouch™	-	-	•	-	-	-	-
StatusLight™	-	-	•	•	•	-	-
Turbo drying express™	-	-	•	-	-	-	-
<b>PROGRAMS</b>							
Daily	•	•	•	•	•	•	-
Heavy	•	•	•	•	•	•	-
Normal	•	•	•	•	•	•	•
Mixed	-	-	•	-	-	-	-
Upper basket	-	-	•	-	-	-	-
Lower basket	-	-	•	-	-	-	-
Time	-	-	•	•	•	-	•
Delicate	-	-	•	•	•	•	-
Quick	•	•	•	•	•	•	•
Super quick	-	-	•	•	•	•	-
Plastic	-	-	•	-	-	-	-
Eco	•	•	•	•	•	•	•
Crockery warming	-	-	•	-	-	-	-
Rinse and hold	•	•	•	•	•	•	•
Rinse and dry	-	-	•	•	•	•	•
<b>INSTALLATION</b>							
Pex hose connection, dimensions (inch)	3/4	3/4	3/4	3/4	3/4	3/4	3/4
Required inlet water pressure (Mpa)	0.03-1	0.03-1	0.03-1	0.03-1	0.03-1	0.03-1	0.03-1
Length inlet hose (cm)	158	158	158	158	158	158	158
Length outlet hose (cm)	198	198	198	198	198	198	198
Connection rating (W)	1800	1800	1800	1800	1800	1800	1800
Current (A)	10	10	10	10	10	10	10
Voltage (V)	240	240	240	240	240	240	240
Frequency (Hz)	50	50	50	50	50	50	50
Length of electrical supply cord (cm)	182	182	182	182	182	182	182


All products are specified to EN, IEC and EMC standards and are CE marked. We assume no liability for printing errors. The manufacturer reserves the right to alter specifications without prior notice.

# Installation drawings


OP8631  
OP8621  
OP8611




OT8601



OS8411




OCM8411




# Installation drawings


HI1683




HI1632




HC1651




HI1983



HI1774




HI1832




# Installation drawings


HG1654




HG1774




HG1664




HG1984



CC4840




CC4520






# Installation drawings


CO4620  
CO4920




CW4951



CW4911




Dishwasher 86 cm XXL<sup>1)</sup>  
Fully-Int. and Built-in versions




\* With nut and sliding protection mounted  
\*\* Recommended measurements

Dishwasher 82 cm<sup>1)</sup>  
Fully-Int. and Built-in versions




\* With nut and sliding protection mounted  
\*\* Recommended measurements

Fully integrated Dishwasher  
Door height range




All descriptions and dimensions in this brochure are a guide only. ASKO does not recommend their use for the manufacture or cutting of kitchen/laundry cabinetry prior to reading the installation manuals. ASKO Australia reserves the right to vary appliance specifications and standard features in Australia from that detailed in this brochure. Appliances in this brochure may also be fitted with optional extra's. If you have any concerns please contact ASKO on 1300 002 756.

NOTES



# NOTES





Swedish quality since 1950

Phone ASKO toll free 1300 00 2756  
or visit [www.asko.com.au](http://www.asko.com.au) for more information

National office  
35 Sunmore Close  
MOORABBIN VIC 3189