

Elements

Design	4
Ovens	8
Cooktops	18
Rangehoods	28

Pro Series[™]

Design	32
Ovens	36
Cooktops	44
Rangehoods	54
Refrigeration	58

Product information

Product overviews	68
Accessories	78
Oven equipment	80
Technical specifications	84
Installation drawings	96

3



the howling west wind, in the running rivers and the deep Volcano wok burners to integrated steam solutions. blue sea, and in the mountain rocks and the minerals of the earth. Elements that inspired us to create a new range of top-performing kitchen appliances.

The four elements - fire, air, water and earth - refer to the Solid feel, detailed finishing and intuitive controls forces that create our universe. In a Scandinavian context characterise our new range of products, which includes you would find them in smokey volcanoes and geysers, in all the necessary gear for devoted cooking - from Fusion



Elements by ASKO is the result of state-of-the-art technology and functionality combined with amazing yet clean design.

In chemistry the elements refer to the pure, substances that cannot be divided. The Elements by ASKO range features a unique combination of black pearl glass with a background surface consisting of small stainless steel particles. It gives the impression of black but, depending on the surroundings, it also appears to be brown or graphite grey, thus reflecting the geology of Scandinavia. The same black is available on the rangehoods and cooktops. Moreover, the brushed metal edges of the ovens make this a solid piece for built-in purposes and match the clean cut edges of the gas and induction cooktops. The design of the Elements by ASKO range once again emphasises our Scandinavian roots. It is refined yet simple, it is pure, and it is down to earth.



"The Elements by ASKO range is refined yet simple, it is clean, and it is down to earth."

Jon Carlehed, Head of Design at Asko Appliances.

7



Perfectly designed for you

The Elements by ASKO ovens have a graceful glass on aestethic and perfect integration is set high. The good design with a sparkling black colour that shifts to dark looking exterior is well complemented by a variety of grey or even brown depending on the surroundings. heating systems and precise control of temperature that They fit perfectly in open solutions with no boundaries gives you the perfect baking result for each specific dish between kitchen and living room and where the demands you want to create.



red<mark>dot</mark> design award winner 2015

45 CM STEAM OVEN OCS8478G WARMING DRAWER ODW8128G



ASKO vaulted precision cooking

All ASKO ovens feature an interior cavity based on generations of wood fire ovens. The shape of our ovens, with a vaulted ceiling and completely flat backside and door, allows for a more even circulation of hot air.

To further enhance the distribution effect, both the cavity and the trays are covered with high-quality enamel

that effectively absorbs and reflects heat. Resulting in

perfect cooking every time.



Ovens with extra large capacity

The 60 cm ovens are extra large with a capacity of up to 75 litres and possibility to bake on five levels simultaneously. This saves time, money and the planet because you use electricity more efficiently. The same applies to the 45 cm combination oven that can hold a full 51 litres and with which you can bake on three levels simultaneously. One of the largest 45 cm ovens on the market.



Healthy cooking with steam

Steam is used daily by professional chefs to bring out more flavour from the food and to create delicious crispy crusts on bread and pastries. Cooking with steam is gentle on food and preserves vitamins and nutrients better than traditional boiling. Healthy and natural, steam cooking preserves the full flavour of foods.

This cooking method releases no odours and there is no need to add salt to the water or to add herbs and spices. With our combination steam ovens you can combine traditional convection with steam in a single cooking programme or simply use just hot air or steam.



Sous vide

A steam cooking program for food that is vacuum sealed. The vacuum-sealed food is slow-cooked with steam at a low temperature. With this method the food's flavour, vitamins and minerals are preserved. Vacuum sealing gives the dish a longer shelf life. Use this function to cook vegetables, fruit, meat, poultry and fish.

Cooking with the right touch



14

a beautiful meal with the people you love and with Elements by ASKO it is easier than ever. Together with real users we created a unique interface which is so

There are few things in life that compare to sharing intuitive to operate that it will inspire you to try new things. You interact with a full colour touch screen with premium responsiveness, colour reproduction and resolution.



The Elements by ASKO ovens come with a unique interaction philosophy based on a TFT touchscreen with the most frequently used functions immediately accessible. The interface is easy and engaging to use and will encourage you to explore all features and functions of the oven. The different heating modes have its own colur: Red for traditional heat, blue for steam and purple for microwave.



If you need coaching in your cooking, then select any of the up to 160 auto programs in the Elements by ASKO ovens. You simply select a dish from a list of pre-programmed dishes and then adjust weight and intensity if necessary.



The colour-coded and informative status screens provide immediate feedback in both text and graphics on current and selected temperature, duration and oven mode.



Stage cooking allows you to combine up to three functions in one cooking process. Select different functions and settings to compose the cooking process of your preference.



The interface is packed with useful information that encourages you to explore the full functionality of the Elements by ASKO



Integration, installation and combination

The different sized ovens in the series are also designed to fit perfectly next to each other. The warming drawer can for example be placed under a 45 cm oven and thus aligns perfectly with a 60 cm oven next to it. This means that a large multi-functional oven and a 45 cm combi-steam oven and the warming drawer below can be installed in two recesses next to each other. With a unique steel trim on the sides the Elements range can be installed slightly projected without any gaps visible on the sides. The steel trims will also enhance the visual integration from the front by hiding the cabinet when opening the door.



Coordinated functionality

As for all ASKO ovens the baking trays in the Elements ovens can be used regardless of the ovens size. This makes it possible to for example defrost the meat in the combi microwave oven and then move it to the combi steamer with the same baking tray to finish the roasting.



Smart, dynamic and powerful cooktops

graceful glass design to perfectly match the ovens and the pans to move on the cooktops. The gas cooktops features rangehoods in the range. The induction cooktops have a the powerful and multi-purpose Fusion Volcano Wok unique matt black surface which is scratch resistant and burner and cleverly designed A+ burners.

The cooktops in the Elements by ASKO range have a also have a practical anti-slip surface preventing pots and

Fusion Volcano Wok burner




Most effective wok burner on the market

The Fusion Volcano Wok burner is different to most wok burners. It generates a vast amount of heat and effectively directs it to the base of the pan, rather than around the sides. It also maintains a high temperature even when you add more ingredients. This instantaneous heat transfer will help you to create the perfect wok dishes in your own home.



Triple your wok function

As well as having the Volcano function with directed flame, the Fusion Volcano Wok burner has an additional outer flame for larger pots and a simmer setting for lower heat cooking. This can be used, for instance, to keep a small pot containing sauce just below boiling point.



Cleverly designed A+ burners

All ASKO gas cooktops are equipped with the unique A+ burners that produce a perfectly adjustable pure flame, which not only produces a very high output but also directs the flame to the underside of your pan. The precision-engineered flame ports ensure that the flame has the shortest distance to the bottom of the pan. More energy is then utilised and the heat is distributed evenly over the entire surface of the pan.



A logical burner layout

We have made the most of the space we have available and maximised the distance between all burners. This makes it possible to use large pots and pans on all burners simultaneously without interfering with each other. On all our gas cooktops you will find extra sturdy pan supports in real cast iron. They provide a perfect and secure support even for very heavy pots and pans and are easy to remove when cleaning the cooktop.

Combined gas and induction

Duo Fusion Gas and Induction cooktops

The ASKO Duo Fusion is a 90 cm cooktop, which combines two energy sources; one being an induction cooktop and the other being a Fusion Volcano Wok burner. These two cooking methods are combined into one piece of 6 mm ceramic glass. The first cooktop to truly cater for lovers of the gas flame and the technology of induction cooking all in one appliance.

The Duo Fusion cooktop takes an induction cooktop and improves on its capabilities by introducing the new Volcano Wok burner, to make it to one of the most flexible cooktops on the market. It is on one hand a powerful wok burner and on the other hand a smart and dynamic induction cooktop. While you concentrate on the wok, you can let one of the Auto programs on the induction cooktop take care of, for example, simmering the sauce.

Awarded with Good Design Award®

In 2015, the Duo Fusion was awarded with Good Design Award®. The Good Design Award® is regarded as one of the most coveted awards for design and innovation in the world. Entries must represent excellence in design at every level where judges carefully consider various factors including innovation, quality, functionality, sustainability and above all, world-class design.





HIG1995AD

Product group: Combined gas/induction cooktop Size: 90 cm



High performance induction

Cooking with induction is fast, easy and safe. Each zone has its own individual control as well as a timer that keeps track of different cooking times and turns off the zones when the set time is reached.

The Elements induction cooktops are also very safe. The heat is generated only in the pan itself and not in the surrounding surfaces and the zone cools quickly once the pan has been removed. Since the cooktop only heats the surface under the pan, you needn't worry about cleaning if it boils over, because nothing is burned onto the cooktop. If anything is spilled, simply wipe it off with a damp cloth and clean the surface with tap water.



When performance is first priority

Other cooktops may vary in power level or even decrease over time an Elements induction cooktop holds and maintains the same power throughout the entire cooking cycle. This means that the cooking cycle is efficient from start to finish, resulting in a more even and fast cooking sequence.



Strong, silent and good looking

make a wonderful impression on the distance to only get materials everywhere.

The rangehood is usually the first thing you notice in a better the closer you get. If you take a closer look you will kitchen. Therefore, we have designed our rangehoods to find brilliant finish to every detail and use of sustainable



The sound of clean air

Our Elements rangehoods are fitted with a durable brushless motor with a fume removal capacity on up to 820 m³/h. The extraction zone is concentrated to the edges of the filters for the best possible fume removal.

The ASKO Elements rangehoods are extremely efficient even at lower settings, so they are both quiet and energy efficient.



Easy to maintain

The completely smooth extraction surface is very easy to clean while giving the rangehood a elegant, minimalistic design expression. Strong lifters slowly lower the extraction surface to access the filters. The filters can then be placed in a ASKO dishwasher for your convenience.




Passionate cooking with Pro Series[™]

With Pro Series™ we offer kitchen products made to be used by passionate and dedicated chefs every day. With sturdy handles and knobs in real steel, stainless steel surfaces and cast iron pan supports they are not only durable and rugged, but also easy to clean and operate.

2

Scandinavian design





Our Design Philosophy

The combination of everyday functionalism, environmental concern and clean, pleasant lines is the principal hallmark of craftsmanship and natural materials - are reflected in Scandinavian design – and that of ASKO. The fundamental idea is that carefully designed products should improve on functionality. We strive to make life easier by offering people's quality of life. To distinguish ourselves in a truly user-friendly interfaces, integration of practical market of cluttered, complex and voluptuous designs, functions and trouble-free, durable products that please we aim for a soft, humanistic minimalism based on the principle of quiet being the new loud. The key elements of

Scandinavian design – understated elegance, high-quality ASKO's design language. Much emphasis is also placed people for a long time.

About Red dot

The Red Dot award, or Red Dot Design award, is an international award for good design, given annually by the Design Zentrum Nordrhein Westfalen. The prize is also sometimes called the 'designer's Nobel Prize'.



reddot award 2014 winner



Built for results

All ASKO Pro Series™ ovens are intelligently crafted for of heat throughout the whole oven cavity. Both the cavity a perfect cooking result. The oven cavity is inspired by and the baking plates are coated with the same highly the traditional wood-fired ovens, with a vaulted ceiling, reflective pyrolytic resistant enamel to further improve the providing a more efficient circulation and even distribution heat distribution.



150 auto programs

Both the kitchen novice and kitchen professionals benefit from the carefully crafted auto programs. Via a number of choices you will come to the specific recipes where you only need to set the quantity or weight and desired browning level. The oven will then automatically set the appropriate function and cooking time.



Soft closing all the way

Where other oven doors stop halfway, an ASKO closes softly all the way. With ASKO's smart built-in spring system you just need to give the door a light touch when you want to close it. Perfect when both hands are busy with that hot lasagna dish.

NB On selected models



Preserves the natural flavours

Bring out new flavours by using steam in combination with hot air or cook truly healthy food using steam alone. This will preserve all of the mineral salts and flavour within the food while retaining its colour and texture. Meat, fish and vegetables can be cooked simultaneously: just set the time according to the food that requires the most time to cook and there is no risk of overcooking.



Steam all over

As with the heat, it is important that the steam is distributed evenly throughout the oven cavity. ASKO's carefully designed steam system distributes the steam evenly throughout the oven cavity and the fan ensures that the steam is constantly moving. All the condensed water is heated by the lower heater and becomes new steam.

NB! Full Steaming function not available on 60 cm ovens

Combi steam oven



The right fuel for your food

in your cooking either by selecting one of the specially condensed water - the pure steam is injected into the designed steam programs or by injecting steam when space and the condensed water is returned to the water you want. The steam process starts in the boiler where tank. This ensures that your food is being steamed and the water is heated to the boiling point and starts to not boiled. evaporate. The steam is led into a channel and before

With our combi steam ovens, you benefit from steam it is injected into the oven cavity it is separated from the



With our combined microwave oven you have all the flexibility of combination cooking. It offers four different types of cooking methods: microwave, fan-forced convection cooking, grilling and combined traditional oven cooking with the aid of microwave cooking. In the same cooking program you can defrost, go to traditional convection and finish with a short grill. They are codesigned to perfectly complement all our ASKO Pro Series[™] ovens.



Simmer without the risk of overboiling

In an ASKO Pro Series™ combi microwave, you can simmer a sauce without it boiling it over. This is possible because we use inverter technology, which provides a constant flow of microwaves at exactly the level you want.



A first for the kitchen

The cooktop is where most of the action happens. From and easy to clean, they give you the control you need early morning breakfast to late night snacks, the cooktops to create great meals quickly. And all our cooktops are is in constant use, so you want a design that caters to your designed to integrate seamlessly with our full range of needs and lifestyle. ASKO's range of induction cooktops kitchen appliances. offers freedom and flexibility in the kitchen. Fast, efficient



Creative freedom with Chef mode

This is cooking on induction from a different angle. By activating all zones on three different power levels you are able to just move the pots and pans to the desired zone depending on the heat you need. The right-hand zone in setting one, the middle in setting seven and the left-hand zone in setting twelve. The zones will automatically be activated as soon as a pot is detected.


NB On selected models



Auto pan detection

When you put a pan on a cooking zone, sensors will activate the corresponding control for the zone. When you lift it off, the zone will pause and start again when you put it back.

NB On selected models



With burning passion for food

The pure flame has long been a favourite among serious the best possible cooking experience. The elegant cast chefs and ASKO's gas cooktops build on this tradition, iron trivets can be removed individually for easy cleaning but with a new level of performance. Our gas flame is fully and all our gas cooktops feature integrated flame failure controllable with a wide heating range and high output. technology - no flame means no gas. This allows you to cook faster and more economically for



Constructed for a solid performance. In every detail.

The A+ burners, which all ASKO's gas cooktops are fitted with, consists of one solid burner unit which is very simple to remove and clean. The burner caps are made of cast iron with scratch resistant, dirt repellent and heat-resitants finishing coat and the flame ports are hand-drilled for durability and perfect flame The ignition device is placed under the burner cap, this minimizing the risk of soiling and damage. All together, this means that you can cook with high precision, without interuption for many years ahead.



Cooktops made to last longer

For the Pro SeriesTM gas cooktops we have only selected the best materials. The dials are formed from high-quality solid steel and the surface is in 1.5 mm thick stainless steel with manually grinded edges for optimal detailed finish. The extra sturdy pan supports are made from cast-iron and covered with extra resistant smooth coating which make them easy to clean. These are gas cooktops made for active cooking.

Domino cooktops



Cooking with no limits

You can compile your own ideal cooktop using ASKO cooktop. The Domino cooktops are available in induction or combined beautifully with a full-size gas or induction burner.

Domino cooktops. They can be built in next to each other, or gas with two A+ burners or with a Fusion Volcano Wok




Rangehoods for open kitchens

Open kitchens are very popular, but they need powerful where the silent, efficient rangehood is fitted, it also has and quiet rangehoods. ASKO offers island and wall- to look good, which means it must look like an ASKO Pro mounted rangehoods that are just as at home in traditional Series™. kitchens as modern contemporary kitchens. And no matter




Make a logical decision

Our Pro Series™ rangehoods are straight forward and carefully constructed with an Air Logic™ system and high-quality sustainable materials and brilliant finish in every detail. The design is timeless and suits every kitchen. Choose between wall-mounted or island versions: 90 cm, 115 cm and 120 cm wide.



Air Logic[™] - a unique air flow system

The Air Logic™ system ensures that the whole surface of the rangehood is used for fume extraction. This is made possible by the unique hole pattern with small holes near the motor and larger holes at the outer edges, which makes the rangehood extremely efficient also at lower settings. Thus both quiet and energy efficient.



Modern Scandinavian design

ASKO Pro Series™ refrigeration allows for seamless refrigeration will not only have a fully adaptable fridge/ integration into your kitchen. You can choose to have freezer and wine fridge, it will make a design statement in the industrial look stainless steel finish or attach your your kitchen. own doors to match your kitchen cabinetry. Pro Series™



A statement in the kitchen

With a loading capacity of nearly 400 litres each and a weight of nearly half a ton, they are anything but standard. Add smart features like dual refrigeration system, flexible loading racks, height adjustable shelving and convertible cooling drawer and you get one of the best designed and most flexible fridge freezers on the market.



Convertible drawer

The drawer has a separate temperature control enabling you to choose either wine, freezer or fresh-food mode. This is a perfect function when you temporarily have to store more food for a dinner party or when you need extra space for storing large food. The conversion from either the freezer mode to fresh-food mode and vice versa takes just about three hours.



Dual refrigeration systems

Fresh foods are best preserved in a humid yet chilly environment, while frozen foods require dry, frigid air to prevent decay and freezer burn. With the ASKO Pro Series™ each refrigerator and freezer area has its own closed system with a compressor and an evaporator, preserving fresh and frozen foods in the best possible way



Electronic ice maker

As long as you fill up the fridge with water you will have ice. The smart electronic ice maker then ensures that your storage of ice never runs dry. Good for hot days and late nights.



Handled with care

ASKO's wine fridge is not just storage for your wine bottles, but in fact a small wine care system. In addition to the perfect temperature, it also provides gentle storage on extendable beechwood racks, which run smoothly and seamlessly on telescopic rails, and has a soft close function. Storing wine bottles on wood instead of, say, steel means that the wine does not cool too quickly and the bottles will not be damaged. The bottom rack, or display rack, can be angled upwards, allowing you to show off your treasures to their best advantage. The display rack can also be safely used for already opened bottles.



Perfect temperature for storing

If you ever experienced that your favourite wine does not taste as good as you remember it from last time, it more often depends on storage than any fault during the actual wine making. An important factor for maintaining and developing the wine's flavours is temperature. With an ASKO Pro SeriesTM wine cooler you can set exactly the right temperature for the type and character of wine you want to preserve. The wine fridge also features two separate temperature zones, for red or white wine.



The great entertainer

Insulated to cope with 49°C temperatures in summer and water resistant for winter, the ASKO Outdoor Fridge is purpose built for Australian conditions.

The ASKO Outdoor Fridge is designed with the Australian lifestyle in mind. Combining superb styling with robust design, it's the perfect choice for the outdoor entertainer.



Lockable door and child-proof controls

A lockable door allows you to keep children away from alcoholic beverages and child-proof controls prevent the kids from altering the temperature without your knowledge. With a host of smart features, this is the outdoor fridge you've been waiting for.

Overview ASKO models Elements ASKO KITCHEN | MODELS



OP8678G

\$4599

60 cm Built-in, pyrolytic oven

- Volume oven cavity: 73 L
- 87 Automatic programs
- 18 oven functions
- Meat probe
- Touch TFT display
- Soft opening/Soft closing
- 5 baking levels
- 3 telescopic fully extendable guide rails with lock function
- Pyrolysis cleaning system
- Adjustable temp. up to 275°C



OP8478G

\$3999

45 cm Built-in, pyrolytic oven


- Volume oven cavity: 51 L
- 87 Automatic programs
- 18 oven functions
- Meat probe
- Touch TFT display Soft opening/Soft closing
- 4 baking levels ■ 2 telescopic fully extendable
- guide rails with lock function
- Pyrolysis cleaning system
- Adjustable temp. up to 275°C



OCS8678G

60 cm Built-in, combi steam oven

- Volume oven cavity: 75 L ■ 160 Automatic programs
- 22 oven functions
- Meat probe
 Touch TFT display
- Soft opening/Soft closing
- 5 baking levels ■ 3 telescopic fully extendable
- guide rails with lock function
- Aqua Clean system







reddot design award





\$5299

45 cm Built-in, combi steam oven

- Volume oven cavity: 51 L
- 160 Automatic programs
- 22 oven functions
- Meat probe
- Touch TFT display Soft opening/Soft closing
- 4 baking levels
- 2 telescopic fully extendable guide
- rails with lock function
- Aqua Clean system
- Adjustable temp. up to 230°C

OCM8478G

45 cm Built-in, combi micro oven

\$4299

- Volume oven cavity: 50 L
- 87 Automatic programs
- 19 oven functions
- Touch TFT display
- Soft closing
- 4 baking levels
- Adjustable temp. up to 250°C Microwave/traditional heat
- combination programs

ODW8128G

\$1499

14 cm Warming drawer

- Temperature range: 30-80°C
- Air vented circulation
- Easy clean glass base
- Push-pull opening
 Fully extendable telescopic rails
- Cold front
- Weight capacity: 25 kg
 Capacity: 20 plates in diameter 28 cm,
- or 80 coffee cups, or 40 tea cups
- Slow cooking function
- Heating element in bottom plate



CI41238G

120 cm Island Rangehood

- Concentrated extraction around the edges
- Flat extraction surface with hidden filters
- Easy accessible filters by spring mechanism
- Long life stainless steel filter
- Dishwasher proofed filters
- 2 x 5,8W dimmable led strips Extraction rates: 926 m³/h
- Touch control interface with white LED's
- EC brushless motor



CW41238G

\$3899

\$3499

120 cm Wall mounted Rangehood

- Concentrated extraction around the edges
- Flat extraction surface with hidden filters
- Easy accessible filters by spring mechanism
- Long life stainless steel filter
- Dishwasher proofed filters
- 2 x 5,8W dimmable led strips
- Extraction rates: 926 m³/h
- Touch control interface with white LED's
- EC brushless motor



CW4938G

\$3299

90 cm Wall mounted Rangehood

- Concentrated extraction around the edges Flat extraction surface with hidden filters
- Easy accessible filters by spring mechanism
- Long life stainless steel filter
- Dishwasher proofed filters 2 x 5,8W dimmable led strips
- Extraction rates: 793 m³/h Touch control interface with white LED's
- EC brushless motor

red<mark>dot</mark> design award winner 2015

* See Technical specifications on page 92 for more information.

68 69

^{*} On page 80 you will find a summary of the equipment that comes with the

^{*} See Technical specifications on page 84 for more information.

Overview ASKO models Pro Series™ ASKO KITCHEN | MODELS



reddot award 2014

OCS8676S \$4599

60 cm Built-in, steam assisted

- Series 7 Interface
- 73 litre capacity
- 91 Automatic programs
- 5 baking levels
- Adjustable temp. up to 230°C
- Multi Steam Inject System
- Aqua Clean
- Automatic cooking programs ■ MultiPhase step cooking
- ASKO Vaulted precision cooking
- Meat probe



OP8656S

60 cm Built-in, pyrolytic oven

- Series 5 Interface
- 73 litre capacity
- 82 Automatic programs
- 5 baking levels
- Adjustable temp. up to 275°C
- Pyrolytic-self cleaning
- Automatic cooking programs

\$1299

- MultiPhase step cooking
- ASKO Vaulted precision cooking
- Meat probe

ODW8126S

14 cm warming drawer

■ Temperature range: 30-85°C

20 plates in diameter 28 cm, or

80 coffee cups, or 40 tea cups



OP8676S

\$4299

\$4299

60 cm Built-in, pyrolytic oven

- Series 7 Interface
- 73 litre capacity
- 82 Automatic programs
- 5 baking levels
- Adjustable temp. up to 275°C
- Pyrolytic-self cleaning
- Automatic cooking programs
- MultiPhase step cooking ASKO Vaulted precision
- cooking ■ Meat probe

OCS8656S

Series 5 Interface

■ 91 Automatic programs

Multi Steam Inject System

■ MultiPhase step cooking ASKO Vaulted precision

Adjustable temp. up to 230°C

Automatic cooking programs

70

■ 75 litre capacity

■ 5 baking levels

Aqua Clean

cooking ■ Meat probe

60 cm Built-in, steam assisted



OT8656S

- 60 cm Built-in, convection oven
- Series 5 Interface
- 75 litre capacity82 Automatic programs
- 5 baking levels
- Adjustable temp. up to 275°C
- Aqua clean
- Automatic cooking programs
- ASKO Vaulted precision cookina
- Meat probe



OP8636S

\$2299

60 cm Built-in, pyrolytic oven

- Series 3 Interface
- 73 litre capacity
- 5 baking levels
- Adjustable temp. up to 275°C
- Pyrolytic-self cleaning
- ASKO Vaulted precision
- cooking
- Meat probe



OCS8456S

OT8636S

■ Series 3 Interface

■ 75 litre Capacity

5 baking levels

Aqua clean

cooking

60 cm Built-in, convection oven

Adjustable temp. up to 275°C

ASKO Vaulted precision

45 cm Built-in, full steam assisted

- Series 5 Interface
- 51 litre capacity
- 150 Automatic programs
- 4 baking levels
- Adjustable temp. up to 230°C
- Multi Steam Inject System
- Full width 46 cm cooking
- MultiPhase step cooking
- Automatic cooking programs



OCS8476S

\$4599

45 cm Built-in, full steam assisted

- Series 7 Interface
- Multi Steam Inject System
- 51 litre capacity
- 150 Automatic programs
- 4 baking levels
- Adjustable temp. up to 230°C Full width 46 cm cooking
- Automatic cooking programs ■ MultiPhase step cooking



OCM8476S

\$3599

45 cm Built-in, combi micro oven

- Series 7 Interface
- Combination Oven +
- Microwave
- 50 litre capacity
- 107 Automatic programs
- 4 baking levels Adjustable temp. up to 275°C
- Full width 46 cm cooking
- Automatic cooking programs
- MultiPhase step cooking



OCM8456S

45 cm Built-in, combi micro oven

- Series 5 Interface
- 50 litre capacity
- 107 Automatic programs 4 baking levels
- Adjustable temp. up to 275°C
- Combination Oven + Microwave ■ Full width 46 cm cooking
- Automatic cooking programs
- MultiPhase step cooking



OM8456S

45 cm Built-in, micro oven

- Series 5 Interface
- 53 litre capacity
- 74 Automatic programs
- 4 baking levels ■ 1000 W automatic microwave
- Stirrer fan technology
- Inverter technology
- Universal travs

Series 7

Adopts an interface for the consumer who wants to interact with the oven. With it's ease of use being based upon the established and renowned technology of slide - touch- and

Series 5

One central dial allows for all functionality to be selected without the need for moving your hand. Simply turn left or right and push the dial

71

Series 3

An interface with a wonderful tactile feel. with its ice white display creating a sense of professionalism in the kitchen

* On page 80 you will find a summary

* See Technical specifications on page 84 for more information.

of the equipment that comes with the

Overview ASKO models Pro Series™ ASKO KITCHEN | MODELS



HI1655G

64 cm Dual Bridge induction cooktop

- 4 cooking zones
- 2 bridge zones
- 6 Auto Cooking programs right temperature for correct cooking
- Touch control
- Auto pan detection
- High Powered zones
- Individual timers



HI1975G

90 cm Dual Bridge induction cooktop

- 5 cooking zones
- 2 Bridge zones
- 260 mm diameter 5.5kw Dual Zone
- 6 Auto Cooking programs right temperature for correct cooking
- Touch control



90 cm Triple Bridge induction cooktop

- New Chef Mode- Create 3 separate
- 6 Auto Cooking programs right
- temperature for correct cooking
- Bridge Induction allows for flexible
- Auto pan detection
- High Powered zones



HI1655M

\$2999

64 cm Dual Bridge induction cooktop

- 4 cooking zones
- 2 Bridge zones
- Matt enamelled finish
- 6 Auto Cooking programs right temperature for correct cooking
- Bridge Induction allows for flexible
- pot dimensions
- Touch control
- Pan detection ■ High Powered zones Individual timers



HI1994M

- 5 cooking zones in total

- Individual timers



HI1995G

\$3799

- 6 cooking zones
- 3 Bridge zones
- power zones at once
- pot dimensions
- Touch control
- Individual timers



- Matt enamelled finish
- Easy Dial slider control
- Pan detection



90 cm Dual Bridge induction cooktop

- 2 Bridge zones
- 6 Auto Cooking programs right



- temperature for correct cooking



- 260 mm diameter 5.5kw Dual Zone

- High powered zones





HG1825AD

80 cm, Ceramic glass, gas cooktop

- 1 Fusion Volcano wok burner, with wok/roast + simmer function
- 3 A+ ASKO Burners
- Easy Clean ceramic glass ■ Ergonomic metal knobs
- Cast iron pan supports



\$2799

HG1935AD

90 cm, Ceramic glass, gas cooktop

- 1 Fusion Volcano wok burner, with wok/roast + simmer function
- 4 A+ ASKO Burners
- Easy Clean ceramic glass
- Ergonomic metal knobs Cast iron pan supports



HG1145AD

■ 2 Fusion Volcano wok burners with

111 cm, Ceramic glass, gas cooktop

\$3599

\$4999

\$1899

- wok/roast/simmer function
- 2 A+ ASKO Burners ■ Easy Clean ceramic glass
- 4 individual timers
- Ergonomic metal knobs Cast iron pan supports



HG1885SD

\$2799

- 80 cm 304 Grade Stainless steel cooktop ■ 1 Fusion Volcano wok burner, with wok/
- roast + simmer function

■ Ergonomic metal knobs

■ 3 A+ ASKO burners ■ 304 Grade stainless steel



HG1995SD

- 90 cm 304 Grade Stainless steel cooktop ■ 1 Fusion Volcano wok burner, with wok/
- roast + simmer function ■ 4 A+ ASKO burners
- 304 Grade stainless steel Ergonomic metal knobs



HIG1995AD

\$2999

90 cm, Ceramic glass, Duo Fusion gas +

- 1 Fusion Volcano wok burner, with wok/ roast + simmer function
- 5 cooking zones
- Easy Clean ceramic glass
- The convenience of two types of cooktops in one package
- Dual Bridge Zones ■ 6 Automatic cooking programs - right temperature for correct cooking
- Auto pan detection ■ High Powered zones



HI1355G

Auto pan detection

No joining kit is required

\$1899

- 2 cooking zones ■ Bridge Induction - allows for flexible
- pot dimensions 6 Auto Cooking programs - right temperature for correct cooking

33 cm Domino induction cooktop




\$1899

- wok burner ■ 1 Fusion Volcano wok burner,
- Easy Clean ceramic glass



- 2 A+ ASKO Burners
- Easy Clean ceramic glass ■ Ergonomic metal knobs ■ No joining kit is required





HG1365GD 33 cm Domino Fusion Volcano

- with wok/roast + simmer function
- Ergonomic metal knob No joining kit is required
- * See Technical Specifications on page 88 for more information



Overview ASKO models Pro Series[™]



CI4176S

115 cm Island rangehood, Air Logic™

- Air Logic™ Extraction System
 Extraction rates: 783 m³/h
 4 Speed including booster
 Solid stainless steel filters
 Triple LED dimmable illumination
 Cloud Zone to capture fumes
 Filter cleaning indication



CW4176S

\$3299

120 cm Wall mounted rangehood, Air Logic™





CW4976S

\$2999

90 cm Wall mounted rangehood, Air Logic™

- Air Logic™ Extraction System
 Extraction rates : 746 m³/h
 4 Speed including booster
 Solid stainless steel filters
 Double LED dimmable illumination
 Cloud Zone to capture fumes
 Filter cleaning indication







Overview ASKO models Pro Series™ ASKO KITCHEN | MODELS



0 0 0

Chichester 1





203 cm Fridge freezer

- Total capacity: 445L
- Fridge capacity: 323L
 Middle freezer capacity: 30L
- Bottom convertible drawer capacity: 90L
- 100% Cool Zone fridge
- Convertible drawer chill/freezer/
- Electronic icemaker with freezer storage
- Dual cooling systems
- No frost
- Cool Wall barrier
- Fully electronic controls with visual zone indication
- Joining kit supplied
- Reversible door
- LED lights

- Removable bottle rack
 Halfway pull out shelves for accessibility
- Soft closing freezer and convertible drawer
- 3 star energy rating





76

RWF2826S

\$13.999*

203 cm Wine fridge

- Dual Zone, 106 wine bottle capacity (0.75 litre bottles)
- Middle freezer capacity: 30L
- Bottom convertible drawer capacity: 92L
- 100% Cool Zone fridge
- Convertible drawer chill/freezer/
- Electronic icemaker with freezer storage
- Dual cooling systems
- No frost
- Cool Wall barrier
- Fully electronic controls with
- Reversible door
 LED lights
- Soft closing racks
- Soft closing freezer and convertible drawer
- 3 star energy rating visual zone indication
- * Price excludes stainless steel doors
- * See Technical Specifications on page 94 for more information





R2303 Outdoor

92 cm Outdoor Refrigerator

\$2499

- Volume: 153 I■ Total annual energy consumption: 245 kWh
- Adjustable temperature control
- Digital thermometer
- Interior ventilator
- 3 glass shelves, 2 adjustable 2 bottle shelves
- Lockable door
- Interior light
- 2 star energy rating
 Can be used in temperatures between 7°C- 49°C
- 4 adjustable feet
- Operating temperatures range
- from 1° to 7° C ■ The telescopic shelves can be
- pulled out

 Upper telescopic shelf can be
- removed to store larger bottles Easy cleaning or for storing
- Tempered glass shelves are
- removable Shelf splits in half and slides under itself for storage of tall items on the shelf below

* See Technical Specifications on page 94 for more information

Accessories



Stainless Steel Door

DPRF2826S \$ 999



Stainless Steel Door

DPRWF2826S \$ 999



Joining kit

SBS2826S, for RF2826S + RWF2826S



Recycling kit for rangehood

Model for island hood CI4X76S \$ 259



Recycling kit for rangehood

Model for wall-mounted hood CW4X76S \$ 259



Grill Plate AG12A

Designed to be used on your ASKO Bridge Induction cooktop \$ 399



Teppanyaki plate AT12A

Designed to be used on your ASKO Bridge Induction cooktop \$ 399





Roasting pan AD82A

Designed for use on your ASKO Bridge induction cooktop and/or in your ASKO oven. \$399



Oven equipment







OVENS ELEMENTS

GENERAL DESCRIPTION	OP8678G	OP8478G	OCS8678G	OCS8478G	OCM8478G
	Built-in,	Built-in,	Built-in,	Built-in,	Built-in
Product group (cm)	pyrolytic oven	Pyrolytic oven	combi steam oven	combi steam oven	combi micro oven
Size (cm)	60	45	60	45	45
Volume (I)	73	51	75	51	50
Display type	Touch TFT Pro	Touch TFT Pro	Touch TFT PRO	Touch TFT Pro	Touch TFT Pro
Colour	Soft black glass	Soft black glass	Soft black glass	Soft black glass	Soft black glass
Door type	Ultra Cool + 4 glass 2 reflective layer	Ultra Cool + 4 glass 2 reflective layer	Ultra cool 3 glass 1 reflective layer	Ultra cool 3 glass 1 reflective layer	Cool 3 glass, 1 reflective layer, 1 microwave shield
Oven guides	3 level telescopic fully extendable with locking function	2 level telescopic fully extendable with locking function	3 level telescopic fully extendable with locking function	2 level telescopic fully extendable with locking function	Wire guides
Baking levels	5	4	5	4	4
Number of Auto programs	87	87	160	160	120
FUNCTIONS					
Lower heater	=	=	=	=	
Upper heater		•	•		
Upper and lower heater	=	=	=	=	
Grill	-				
Large grill		=	=	=	
Large grill with fan	=		-		
Hot air and lower heater	=		=		
3D Hot air	=		-	=	
Eco Hot air		-	-		
3D Hot air with steam	-	-			-
Full steam	-	-	-		-
Steam injection by steps	-	-	-		-
Direct steam injection	-	-	-		-
Low temperature steam	-	-			-
Sous vide	-	-			-
Defrost					
Lower heater and fan					
Rapid preheat	•				•
Plate warming					
Keep warm/reheating				=	
Regenerate	-	-	-		
Auto roast mode/Pro roasting		-	-	-	-
Steam clean					
Pyrolysis		-	-		-
Microwave	-	-	-	-	
Hot air and microwave	-	-	-	-	-
Grill with fan and microwave	-	-	-	-	
EQUIPMENT					
Shallow tray	2	1	2	1	1
Deep tray	1	1	1		-
Grill rack premium	1	2	1	1	2
Grill rack	-	-	-	-	-
Glass tray	1	-	-	-	1
Steam tray 2/3 with holes	-	-	1	1	-
Steam tray 1/3 with holes	-	-	1	1	-
Steam tray wide with holes	-	-	1	1	-
Steam tray wide without holes	-	-	2	2	-
Pyropoofed wire guides			-	-	-
Grill spit with motor	-	-	-	-	-
Meat probe	-	=	=	=	-
TECHNICAL INFORMATION					
Connection rating (W)	3400	3400	3400	3400	3400
Rated current (A)	16	16	16	16	16
Voltage (V)	240	240	240	240	240
Frequency (Hz)	50	50	50	50	50
					30

OVENS PRO SERIES™

GENERAL DESCRIPTION	OCS8676S	OP8676S	OT8656S	OP8656S	OCS8656S	OP8636S	OT8636S
Product group	Built-in, steam assist oven	Built-in, pyrolytic oven	Built-in, aqua- clean oven	Built-in, pyrolytic oven	Built-in, steam assist oven	Built-in, pyrolytic oven	Built-in, aqua- clean oven
Size (cm)	60	60	60	60	60	60	60
Volume (I)	75	73	75	73	75	73	75
Display type	Series 7	Series 7	Series 5	Series 5	Series 5	Series 3	Series 3
Colour	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Door type	Ultra cool, 3 glasses, 1 reflective layers	Ultra Cool +, 4 glasses, 2 reflective layers	Ultra cool, 3 glasses, 1 reflective layers	Ultra Cool +, 4 glasses, 2 reflective layers	Ultra cool, 3 glasses, 1 reflective layers	Ultra Cool +, 4 glasses, 2 reflective layers	Ultra cool, 3 glasses, 1 reflective layers
Oven guides	3 level tele- scopic fully extendable	3 level tele- scopic fully extendable	2 level tele- scopic fully extendable	2 level tele- scopic fully extendable	2 level tele- scopic fully extendable	1 level tele- scopic fully extendable	1 level tele- scopic fully extendable
Number of Auto programs	91	82	82	82	91	-	-
FUNCTIONS							
Lower heater						-	-
Upper heater						-	-
Upper and lower heater	-	-	-	-	-	-	
Grill		-	-	-	-	-	
Large grill							
Large grill with fan							
Hot air and lower heater		-	-	-	-	-	-
3D Hot air		_	_	-	_	_	_
3D Hot air with steam		_	_	_	_	_	_
Steam assisted cooking		_	_	_	_	_	_
Direct steam			_	_		_	_
			-	-		-	-
Defrost						-	
Lower heater and fan	-	-	-	-	-		
Professional/manual mode	-	-	-	-	-	-	-
Auto/coach mode		-	-	-	-	-	-
Rapid preheat	-	-	-	-	-	-	
Plate warming	=	-	=	=	=	-	
Reheating	-	-	-	-	-	-	•
Multi phase Cooking		=	=	=	=	-	-
Auto roast mode	-	-	=	-	-	-	-
FEATURES							
Cooking timer	=	=	=	=	=	=	=
Delayed start	=	=	=	=	=	=	=
Minute minder/alarm	=	=	-	=	=	=	=
Clock	=	=	=	=	=	=	=
Display language setting	=	=	-	=	=	-	-
User defined programs		-	-			-	-
Water hardness test stick	-	-	-	-	-	-	-
Water hardness setting		-	-	-	-	-	-
Descaling program	-	-	-	-	-	-	-
Soft closing / opening	=/=	=/=	=/-	=/-	=/-	=/-	■/-
Meat probe		=	-	-	-	-	
DIMENSIONS Height / Width / Depth of the product (mm)	595 / 595 / 546	595 / 595 / 546	595 / 595 / 546	595 / 595 / 546	595 / 595 / 546	595 / 595 / 546	595 / 595 / 546
TECHNICAL INFORMATION							
Connection rating (W)	3400	3400	3400	3400	3400	3400	3400
Rated current (A)	16	16	16	16	16	16	16
Voltage (V)	240	240	240	240	240	240	240
Frequency (Hz)	50	50	50	50	50	50	50

OVENS PRO SERIES™

GENERAL DESCRIPTION	OCS8476S	OCM8476S	OCS8456S	OCM8456S	OM8456S
Product group	Built-in, combi steam oven	Built-in, combi micro oven	Built-in, combi steam oven	Built-in, combi micro oven	Built-in, micro oven
Size (cm)	45	45	45	45	45
Volume (I)	51	50	51	50	53
Display type	Series 7	Series 7	Series 5	Series 5	Series 5
Colour	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Door type	Ultra cool, 3 glasses, 1 reflective layers	Cool door, 3 glasses, 1 reflective layer	Ultra cool, 3 glasses, 1 reflective layers	Cool door, 3 glasses, 1 reflective layer	Cool door, 3 glasses, 1 reflective layer
Oven guides	1 level telescopic fully extendable	Wire guides	1 level telescopic fully extendable	Wire guides	Wire guides
Number of Auto programs	150	107	150	107	74
FUNCTIONS					
Lower heater					-
Upper heater					-
Upper and lower heater					-
Grill	-			=	-
Large grill	-				-
Large grill with fan	-	-	-	-	-
Hot air and lower heater		-			-
3D Hot air					-
3D Hot air with steam		-		-	-
Steam assisted cooking		-		-	-
Direct steam		-		-	-
Defrost		=	=	=	
Lower heater and fan					-
Professional/manual mode					
Auto/coach mode					
Rapid preheat					-
Plate warming					-
Reheating					-
Multi phase cooking	=	=	=	=	=
Auto roast mode		=	=	=	-
Steam mode		-		-	-
Microwave mode	-		-		
Hot air and microwave	-	=	-	=	-
Grill with fan and microwave	-	=	-	=	-
Microwave simmer function	-	=	-		
FEATURES					
Cooking timer					
Delayed start			-		
Minute minder/alarm		-	-		
Clock		•	•	•	
Display language setting					
User defined programs		-	-	-	-
Water hardness test stick		-		-	-
Water hardness setting		-	-	-	-
Descaling program	- /	-	- /	-	-
Soft closing / opening	≡/-	-/-	■/-	-/-	- / -
Meat probe	-	-	-	-	-
DIMENSIONS AND INSTALLATION	4FF / F0F / F40	455 1505 1540	AFE / F05 / 540	455 1505 1540	455 1505 1540
Height / Width / Depth of the product	455 / 595 / 546	455 / 595 / 546	455 / 595 / 546	455 / 595 / 546	455 / 595 / 546
TECHNICAL INFORMATION					
Connection rating (W)	2900	3400	2900	3400	2200
Rated current (A)	16	16	16	16	10
Voltage (V)	240	240	240	240	240
Frequency (Hz)	50	50	50	50	50

WARMING DRAWER

GENERAL DESCRIPTION	ODW8128G	ODW8126S
Range	Elements	Pro Series
Product group	Warming drawer	Warming drawer
Size (cm)	14	14
Colours	Soft black glass	Stainless steel
FEATURES AND FUNCTIONS		
Temperature range (°C)	30-80	30-85
Anti slip mat	-	
Easy clean ceramic glass base		-
Fully telescopic drawer		
Timer		
Push-pull opening		
Cold front		
Defrosting		
Cup warming		
Food warming		
Low temperature coking		-
Weight capacity (kg)	25	20
Capacity	20 plates in diameter 28 cm, or 80 coffee cups, or 40 tea cups	20 plates in diameter 28 cm, or 80 coffee cups, or 40 tea cups
DIMENSIONS		
Height of the product (mm)	140	140
Width of the product (mm)	597	595
Depth of the product (mm)	550	565
Weight net (kg)	15	14
Weight gross (kg)	17	15.5
TECHNICAL INFORMATION		
Connection rating (W)	810	417
Current (A)	10	10
Voltage (V)	220-240	220-240
Frequency (Hz)	50/60	50/60

COOKTOPS

GENERAL DESCRIPTION	HI1655G	HI1975G	HI1995G	HI1655M	HI1994M
Туре	Induction	Induction	Induction	Induction	Induction
Colour	Black glass	Black glass	Black glass	Matt black	Matt black
Size (cm)	64	90	90	80	90
Total power (W)	7400	11000	11100	7400	11100
Number of Zones	4	5	6	4	5
Bridge Zones	2	2	3	2	2
Type of control	Touch control	Touch control	Touch control	Touch control	Easy Dial slide
FUNCTIONS					
Booster on all zones			=		-
Pan detection					-
Auto pan detection				-	-
Bridge Zones			=	=	=
Separate controls/zone	=	=	=	=	=
Pause function	=	=	=	=	=
Individual timers				-	-
Number of power levels	12 + boost				
Number of Auto programmes	6	6	6	6	6
Chef function	-	-		-	-
DIMENSIONS					
Height of the product (mm)	52	43	50	52	43
Width of the product (mm)	644	904	904	602	904
Depth of the product (mm)	522	522	522	522	522
Weight net (kg)	11,0	14,7	16,3	11,0	17,5
Weight gross (kg)	13,0	17,0	18,5	13,0	19,0
PERFORMANCE					
Front left (W)	3700	3700	3700	3700	3700
Back left (W)	3700	-	3700	3700	3700
Front middle (W)	-	3700	3700	-	-
Back middle	-	3700	3700	-	-
Front right (W)	3700	3700	3700	3700	3700
Back right (W)	3700	3700	3700	3700	3700
Middle left	-	-	-	-	-
SAFETY					
KidSafe- lock the buttons	=	=	=		=
Central switch off all cooking zones at same time					-
Overheating switch off		=	=	=	-
Residual heat indicator	-	=	=	=	-
Cooking time limiter (setting from 1 to 9 hours)	-	-	-		-
TECHNICAL INFORMATION					
Connection rating (W)	7400	11000	11100	7400	11100
Rated current (A)	31	46	46	31	46
Voltage (V)	240	240	240	240	240
Frequency (Hz)	50	50	50	50	50

GAS COOKTOPS

GENERAL DESCRIPTION	HG1825AD	HG1935AD	HG1145AD	HG1885SD	HG1995SD
Туре	Gas	Gas	Gas	Gas	Gas
Colour	Black glass	Black glass	Black glass	Stainless steel	Stainless steel
Size (cm)	80	90	111	80	90
Total power (MJ.h))	43.20	43.20	40.70	43.20	40.70
Number of Zones/burners	4	5	4	4	5
Type of control	Solid metal knobs				
FUNCTIONS					
Simmer burner			-		
Fusion Volcano wok burner			(2 Wok burners)		
Wok burner	-	-	-	-	-
A+ burners					
Boost A+ burner			-		
Round wok pan support					
Easy clean burners					
Spark ignition integrated in the knob					
Keradur® burner bases					
Removable knobs					
Individual timer	-	-	-	-	-
DIMENSIONS					
Height of the product (mm)	45	45	46	45	45
Width of the product (mm)	794	904	1114	794	904
Depth of the product (mm)	522	522	412	522	522
Weight net (kg)	18,6	19,5	22,8	22,8	19,5
Weight gross (kg)	20,8	21,8	25,2	25	21,8
PERFORMANCE					
Simmer burner (3,60 MJ.h)		-	-		
Medium burner (6,70 MJ.h)	-	2■	2 ■		2 ■
Rapid burner (8,50 MJ.h)		-	-		
Fusion Volcano wok burner (19,70 MJ.h)			2 ■		
TECHNICAL INFORMATION					
Natural gas	G20-10	G20-10	G20-10	G20-10	G20-10
LPG conversion kit	Included in the box				
Diameter gas connection (Inch)	1/2	1/2	1/2	1/2	1/2
Connection rating (W)	0,6	0,6	5,1	0,6	0,6
Current (A)	10	10	10	10	10
Voltage (V)	240	240	240	240	240
Frequency (Hz)	50	50	50	50	50
SAFETY Flame failure protection					

INDUCTION / GAS COOKTOPS

GENERAL DESCRIPTION DUO FUSION	HIG1995AD
Туре	Induction/Gas
Colour	Black glas
Size (cm)	90
DIMENSIONS	
Height of the product (mm)	45
Width of the product (mm)	904
Depth of the product (mm)	522
Weight net (kg)	19
Weight gross (kg)	20
OFNEDAL DECORPTION INDUCTION	
GENERAL DESCRIPTION INDUCTION	7400
Total power (W) induction	7400
Number of Zones/burners	4
Bridge Zones Type of control	_
Type of control	Touch control
FUNCTIONS INDUCTION	
Booster on all zones	
Pan detection	
Bridge Zones	
Separate controls/zone	
Pause function	
Individual timer	
Number of power levels	13
Number of Auto programmes	6
PERFORMANCE INDUCTION	
Front left (W)	3700
Back right (W)	3700
Back left (W)	3700
Front right (W)	3700
SAFETY INDUCTION	
KidSafe- lock the buttons	
Central switch off all cooking zones at same time	
Overheating switch off	-
Residual heat indicator	
Cooking time limiter (setting 1 to 9 hours)	
TECHNICAL INFORMATION INDUCTION	
Connection rating (W)	7400
Rated current (A)	31
Voltage (V)	240
Frequency (Hz)	50

CONTINUE - DUO FUSION

GENERAL DESCRIPTION GAS	HIG1995AD
Total power (W) Gas	19.7 MJ.h
Number of Zones/burners	1
Type of control	Solid metal knob
FUNCTIONS GAS	
Fusion Volcano wok burner	
Round wok pan support	
Easy clean burners	
Spark ignition integrated in the knob	
Keradur® burner bases	
Removable knobs	
Individual timer	
PERFORMANCE GAS Wok burner (W) TECHNICAL INFORMATION GAS	19.7 MJ.h
Gas type	G20-10
Diameter gas connection (Inch)	1/2
Connection rating (W)	0,6
Current (A)	16
Voltage (V)	240
Frequency (Hz)	50
Natural gas only	
SAFETY	
Flame failure protection	=

DOMINO INDUCTION COOKTOPS

GENERAL DESCRIPTION	HI1355G
Туре	Domino induction
Colour	Black glass
Size (cm)	33
Total power (W)	3700
Number of Zones/burners	2
Bridge Zones	1
Type of control	Touch control
FUNCTIONS	
Booster on all zones	
Pan detection	
Auto pan detection	
Bridge Zones	
Separate controls/zone	
Pause function	
ndividual timer	
Number of power levels	13
Number of Auto programmes	6
Chef function	-
DIMENSIONS	
Height of the product (mm)	50
Width of the product (mm)	330
Depth of the product (mm)	522
Weight net (kg)	6,8
Weight gross (kg)	8,2
PERFORMANCE	
Front (W)	3700
Back (W)	3700
TECHNICAL INFORMATION	
Connection rating (W)	3700
Number of phases	1
Rated current (A)	16
Voltage (V)	240
Frequency (Hz)	50
SAFETY	
KidSafe- lock the buttons	
Central switch off all cooking zones at same time	
Overheating switch off	
Residual heat indicator	-
Cooking time limiter	-

DOMINO GAS COOKTOPS

GENERAL DESCRIPTION	HG1365GD	HG1355GD
Туре	Domino gas	Domino gas
Colour	Black glass	Black glass
Size (cm)	33	33
Total power (W)	19.70 MJ.h	14.80 MJ.h
Number of Zones/burners	1	2
Bridge Zones	-	-
Type of control	Solid metal knobs	Solid metal knobs
FUNCTIONS		
Simmer burner	-	-
Fusion Volcano wok burner		-
A+ burners	-	
Boost A+ burner	-	
Round wok pan support	-	-
Easy clean burners	=	-
Spark ignition integrated in the knob	=	=
Keradur® burner bases	-	=
Removable knobs	=	=
DIMENSIONS		
Height of the product (mm)	54	47
Width of the product (mm)	330	330
Depth of the product (mm)	522	522
Weight net (kg)	10,2	8,0
Weight gross (kg)	11,4	9,2
PERFORMANCE		
Rapid burner (8,50 MJ.h)	-	=
Medium burner (6,70 MJ.h)	-	-
Fusion Volcano wok burner (19,70 MJ.h)	=	-
SAFETY		
Cooking time limiter	-	-
Flame failure protection		
Automatic ignition/re-ignition	-	-
KidSafe - lock the knobs	-	-
TECHNICAL INFORMATION		
TECHNICAL INFORMATION	G20-10	G20 10
Gas type	Conversion kit	G20-10
Alternative gas type	1/2	Conversion kit
Diameter gas connection (Inch)		
Connection rating (W)	0,6	0,6
Current (A)	10	10
Voltage (V)	240	240
Frequency (Hz)	50	50

RANGEHOODS ELEMENTS

GENERAL DESCRIPTION	CI41238G	CW41238G	CW4938G
Туре	Island	Wall mounted	Wall mounted
Colour	Black glass	Black glass	Black glass steel
Size (cm)	120	120	90
Capacity (m³/h)	926	926	793
Type of control	Touch control	Touch control	Touch control
Noise level, speed setting 2 (dB(A)	47	47	46
Max noise level (dB(A)	73	73	70
Number of power levels	9	9	9
Number of filters	2	2	2
Re-circulation mode (optional extra charge)		-	
FEATURES			
AirLogic™ system -full surface extraction	-	-	-
Cloud Zone - captures alll fumes	-	-	-
Long life stainless steel filters			
Dishwasher safe filters			
Indication filter cleaning			
Easy install - hook and swing	-	-	-
Vibration free and low noise EBM motor	-		
Non-return airflow flap	-		
Dimmer light function	-		
Clean air function		=	
DIMENSIONS			
Height of the product, without chimney (mm)	85	85	85
Height of Flue Min/Max	627/1172	750/1070	627/1172
Width of the product (mm)	1198	1198	898
Depth of the product (mm)	708	534	534
Length of electrical cord (mm)	1500	1500	1500
Air Outlet Diametre Min/Max	150/120	150/120	150/120
Weight net (kg)	52,6	38,4	32
Weight gross (kg)	62,7	52,7	41,7
TECHNICAL INFORMATION			
Connection rating (W)	250	240	236
Rated current (A)	10	10	10
Voltage (V)	220-240	220-240	220-240
Frequency (Hz)	50	50	50
Motor location	Chimney	Chimney	Chimney
Number of lights	2	2	2
Total power of the lights (W)	11.6	11.6	11.6
Type of light	Led strips	Led strips	Led strips

RANGEHOODS PRO SERIES


GENERAL DESCRIPTION	CI4176S	CW4176S	CW4976S
Туре	Island	Wall mounted	Wall mounted
Colour	Stainless steel	Stainless steel	Stainless steel
Size (cm)	115	120	90
Capacity (m³/h)	783	751	746
Type of control	Push buttons	Push buttons	Push buttons
Noise level, speed setting 2 (dB(A)	46	46	41
Max noise level (dB(A)	60	60	60
Number of power levels	4	4	4
Number of filters	6	4	3
Re-circulation mode (optional extra charge)			
FEATURES			
AirLogic™ system -full surface extraction			
Cloud Zone - captures alll fumes	-		
Long life stainless steel filters	-		
Dishwasher safe filters			
Indication filter cleaning			
Easy install - hook and swing			
Vibration free and low noise EBM motor			
Non-return airflow flap	-		
Dimmer light function	-		
Clean air function		=	
DIMENSIONS			
Height of the product, without chimney (mm)	80	80	80
Height of Flue Min/Max	750/1070	627/1172	627/1172
Width of the product (mm)	1150	1198	898
Depth of the product (mm)	700	530	530
Length of electrical cord (mm)	1500	1500	1500
Air Outlet Diametre Min/Max	120/150	120/150	120/150
Weight net (kg)	30,2	22,5	17,4
Weight gross (kg)	38,4	29,6	24,7
TECHNICAL INFORMATION			
Connection rating (W)	240	240	236
Rated current (A)	10	10	10
Voltage (V)	240	240	240
Frequency (Hz)	50	50	50
Motor location	Chimney	Chimney	Chimney
Number of lights	3	3	2
Total power of the lights (W)	10	10	7
Type of light	LED	LED	LED


REFRIGERATION PRO SERIES™


GENERAL DESCRIPTION	RF2826S	RWF2826S
Product group	Fridge/freezer	Fridge/freezer/Wine chiller
Colour	Stainless steel	Stainless steel
Height (cm)	203	203
Installation type	Freestanding	Freestanding
Type of display	Touch	Touch
Door opening	Right/reversible	Right/reversible
FEATURES - FRIDGE		
Dual refrigeration system	=	-
Led lights	-	-
Adjustable glass shelves with aluminium trims		-
Adjustable door shelves - holds up to 5 kg	•	-
Removable bottle rack	-	-
ActiveAir™ - effective air circulation	•	-
Vegetable drawer	=	-
Halfway pull-out glass shelves	•	-
Safety glass - hold up to 22 kg		-
FEATURES - FREEZER DRAWER		
No frost	=	
Soft closing function		
Separate temperature control	=	=
Electronic ice maker	=	=
Child lock		
FEATURES - CONVERTIBLE FREEZER DRAWER		
No frost	=	=
Soft closing function		=
Separate temperature control	=	=
Convertible from freezer to fridge in 3 hours	•	•
FEATURES - WINE FRIDGE		
Storage for up to 106 bottles	-	-
Led lights	-	
Dual refrigeration system	-	-
Dual temperature zones for storage of red and white wine	-	•
Fully expandable racks	-	-
Soft closing racks	-	•
Display rack	-	-
Racks in stainless steel and oak wood	-	•
DIMENSIONS		
Height / Width / Depth of the product (mm)	2030 / 750 / 603	2030 / 750 / 603
Reversible door	=	=
Wheels	=	=
Adjustable feet		
ENERGY CONSUMPTION		
Energy consumption (kWh/year)	432	440
Star rating	3.0	2.5
CAPACITY		
Total capacity (litre)	445	353
Fridge capacity (litre)	323	274
Middle freezer capacity (litre)	30	30
Bottom convertible drawer capacity (litre)	90	92
TECHNICAL INFORMATION		
Connection rating (W)	400	400
Rated current (A)	10	10
Supply voltage (V)	240	240
Frequency (Hz)	50	50


GENERAL DESCRIPTION	R2303 Outdoor
Product group	Fridge
Colour	Stainless steel
Height (cm)	87
Installation type	Freestanding
Door opening	Right
FEATURES	
Glass shelves	3
Telescopic shelves	2
Door shelves	-
Vegetable drawer	-
Bottle rack	-
Egg rack	-
Ice tray	-
Interior light	-
DIMENSIONS	
Height of the product (mm)	870
Width of the product (mm)	600
Depth of the product (mm)	600
Weight net (kg)	66
Adjustable feet	
Reversible door	-
ENERGY LABEL INFORMATION / PERFORMANCE	
Energy efficiency class 1)	2 stars
Total annual energy consumption (kWh/year)	245
Refrigerator net capacity (L)	153
Freezer net capacity (L)	0
Noise level	42
Frost free system	-
Number of independent cooling systems	1
TECHNICAL INFORMATION	
Connection rating (W)	120
Current (A)	10
Voltage (V)	220-240
Frequency (HZ)	50
Lenght of electrical supply cord (cm)	190


Installation drawings




















HG1935AD

HG1145AD


We assume no liability for printing errors.

The manufacturer reserves the right to alter specifications without prior notice.

97

HG1825AD

Installation drawings ASKO KITCHEN | INSTALLATION DRAWINGS





CI4176S


We assume no liability for printing errors. The manufacturer reserves the right to alter specifications without prior notice.


CW4938G


CW41238G

















All descriptions and dimensions in this brochure are a guide only. ASKO does not recommend their use for the manufacture or cutting of kitchen cabinetry prior to reading the installation manuals. Appliances in this brochure may also be fitted with optional extras. ASKO Australia reserves the right to alter specifications of the products without prior notice.

Please visit our website www.asko. com.au or call ASKO on 1300 002 756 for the latest updates.



Phone ASKO on 1300 00 2756 or visit www.asko.com.au for more information

National office • 35 Sunmore Close • MOORABBIN VIC 3189

ASKO reserves the right to change specifications and pricing without prior notice.



This publication is produced using FSC Mixed Source Chain of Custody (CoC) paper, made Elemental Chlorine Free (ECF) in a facility with an ISO 14001 Environmental Management System accreditation.